

Index to Volume 45

Author index

A

- Abai B, Zickler RW, Pappas PJ, Lal BK, Padberg, Jr FT. Lymphorrhea responds to negative pressure wound therapy. 2007;45:610-3 (Case rep.)
- Abilez OJ (*see* Benharash et al). 2007;45:250-7
- Aboyans V, Criqui MH, McClelland RL, Allison MA, McDermott MM, Goff, Jr DC, Manolio TA. Intrinsic contribution of gender and ethnicity to normal ankle-brachial index values: The Multi-Ethnic Study of Atherosclerosis (MESA). 2007;45:319-27
- Abraham P (*see* Jaquinandi et al). 2007;45:312-8
- Abu-Hamad G (*see* Barbato et al). 2007;45:667-76
- AbuRahma AF, Stone PA, Flaherty SK, AbuRahma Z. Prospective randomized trial of ACUSEAL (Gore-Tex) versus Hemashield-Finesse patching during carotid endarterectomy: Early results. 2007;45:881-4
- AbuRahma Z (*see* AbuRahma et al). 2007;45:881-4
- Abuznadah W (*see* Moore et al). 2007;45:443-50
- Acher CW (*see* Tefera et al). 2007;45:1114-9 (From the Midwestern Vascular Surgical Society)
- Ackerstaff RGA (*see* de Borst et al). 2007;45:118-23
- Adam DJ, Berce M, Hartley DE, Robinson DA, Anderson JL. Repair of recurrent visceral aortic patch aneurysm after thoracoabdominal aortic aneurysm repair with a branched endovascular stent graft. 2007;45:183-5 (Case rep.)
- Adam DJ (*see* Hobbs et al). 2007;45:66-69
- Agrifoglio M (*see* Spirito et al). 2007;45:1076-9 (Case rep.)
- Albers M, Romiti M, Luccia ND, Brochado-Neto FC, Nishimoto I, Pereira CAB. An updated meta-analysis of infrainguinal arterial reconstruction in patients with end-stage renal disease. 2007;45:536-42
- Alevizakos P (*see* Tsilimparis et al). 2007;45:1249-52 (Case rep.)
- Alimi Y S (*see* Hartung et al). 2007;45:1062-5 (Case rep.)
- Allenberg JR (*see* Zhang et al). 2007;45:1039-46 (Basic research studies)
- Allison MA (*see* Aboyans et al). 2007;45:319-27
- Al-Omran M. True ulnar artery aneurysm of the hand in an 18-month-old boy: A case report. 2007;45:841-3 (Case rep.)
- Altaf N, Goode S, Murphy M, Richards T. Regarding "Early carotid endarterectomy in symptomatic patients is associated with poorer perioperative outcomes". 2007;45:641 (Letter)
- Alverdy JC (*see* Piano et al). 2007;45:784-8
- Ammar AD (*see* Woolard et al). 2007;45:1256-8 (Case rep.)
- Andersen C (*see* Arthurs et al). 2007;45:726-32
- Andersen ND (*see* Monahan et al). 2007;45:581-9 (Basic research studies)
- Anderson JL (*see* Adam et al). 2007;45:183-5 (Case rep.)
- Andersson B (*see* Sigvant et al). 2007;45:1185-91 (From the New England Society For Vascular Surgery)
- Andrew P (*see* O'Connor et al). 2007;45:224 (Letter)
- Andrews EJ (*see* Killeen et al). 2007;45:615-26 (Review article)
- Angiletta D (*see* Regina et al). 2007;45:391-4 (Case rep.)
- Anthony R (*see* Nehler et al). 2007;45:953-61
- Antoniou GA (*see* Lazarides et al). 2007;45:420-6 (Review article)
- Arif B (*see* Bergoeing et al). 2007;45:1217-27 (Basic research studies)
- Arko FR (*see* Smith et al). 2007;45:395-8 (Case rep.)
- Arko FR (*see* Yau et al). 2007;45:96-100
- Armstrong PA (*see* Keeling et al). 2007;45:25-31

- Arthurs Z, Starnes B, Cuadrado D, Sohn V, Cushner H, Andersen C. Renal artery stenting slows the rate of renal function decline. 2007;45:726-32
- Aryavand B (*see* Hashemi et al). 2007;45:607-9 (Case rep.)
- Ascher E, Hingorani AP, Marks NA. Popliteal artery volume flow measurement: A new and reliable predictor of early patency after infrainguinal balloon angioplasty and subintimal dissection. 2007;45:17-24
- Assadian A, Lax J, Meixner-Loicht U, Hagmüller GW, Bayer PM, Hübl W. Aspirin resistance among long-term aspirin users after carotid endarterectomy and controls: Flow cytometric measurement of aspirin-induced platelet inhibition. 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)
- Atkins MD, Kwolek CJ, LaMuraglia GM, Brewster DC, Chung TK, Cambria RP. Surgical revascularization versus endovascular therapy for chronic mesenteric ischemia: A comparative experience. 2007;45:1162-71 (From the Midwestern Vascular Surgical Society)
- Avelar RL (*see* Kohler et al). 2007;45:1029-38 (Basic research studies)
- Ayerdi J (*see* Corriere et al). 2007;45:789-94

B

- Babaryka G (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)
- Back MR (*see* Keeling et al). 2007;45:25-31
- Backes WH (*see* Nijenhuis et al). 2007;45:71-8, 677-85
- Badger SA, Soong CV, O'Donnell ME, Middleton D. The role of human leukocyte antigen genes in the formation of abdominal aortic aneurysms. 2007;45:475-80
- Bahadorani J (*see* Killewich et al). 2007;45:554-60
- Bakken AM (*see* Protack et al). 2007;45:110-7, 992-7
- Bakken AM, Protack CD, Saad WE, Lee DE, Waldman DL, Davies MG. Long-term outcomes of primary angioplasty and primary stenting of central venous stenosis in hemodialysis patients. 2007;45:776-83
- Bakoyannis C (*see* Pinter et al). 2007;45:1136-41 (From the Midwestern Vascular Surgical Society)
- Ballotta E, Giau GD, Meneghetti G, Barbon B, Militello C, Baracchini C. Progression of atherosclerosis in asymptomatic carotid arteries after contralateral endarterectomy: A 10-year prospective study. 2007;45:516-22
- Balm R (*see* Muhs et al). 2007;45:655-61
- Bandyk DF (*see* Keeling et al). 2007;45:25-31
- Baracchini C (*see* Ballotta et al). 2007;45:516-22
- Barbato JE, Kim JY, Zenati M, Abu-Hamad G, Rhee RY, Makaroun MS, Cho J. Contemporary results of open repair of ruptured descending thoracic and thoracoabdominal aortic aneurysms. 2007;45:667-76
- Barbon B (*see* Ballotta et al). 2007;45:516-22
- Biril DT, Lookstein RA, Jacobs TS, Won J, Marin ML. Durability of renal artery stents in patients with transrenal abdominal aortic endografts. 2007;45:915-21
- Barry CM (*see* Dubé et al). 2007;45:821-7 (Basic research studies)
- Bartoli JM (*see* Hartung et al). 2007;45:1062-5 (Case rep.)
- Bastounis E (*see* Klonaris et al). 2007;45:498-504
- Baumgartner I (*see* Dick et al). 2007;45:751-61
- Baumgartner I (*see* Diehm et al). 2007;45:263-8
- Bavaria JE (*see* Jackson et al). 2007;45:662-66
- Bax JJ (*see* Feringa et al). 2007;45:936-43
- Bayer PM (*see* Assadian et al). 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)

- Beaver TM (*see* Feezor et al). 2007;45:86-9
- Beerenhout CH (*see* van Hoek et al). 2007;45:968-73
- Belkin M (*see* Owens et al). 2007;45:2-8, 944-52
- Belkin M (*see* Schanzer et al). 2007;45:740-3
- Bell H (*see* DeRubertis et al). 2007;45:716-25
- Belli A (*see* Dawson et al). 2007;45:350-6 (Basic research studies)
- Bena JF (*see* Hertzner et al). 2007;45:527-35
- Bena JF (*see* Kashyap et al). 2007;45:101-7
- Bendermacher BL, Willigendaal EM, Nicolai SP, Kruidenier LM, Welten RJ, Hendriks E, Prins MH, Teijink JA, de Bie RA. Supervised exercise therapy for intermittent claudication in a community-based setting is as effective as clinic-based. 2007; 45:1192-6 (From the New England Society For Vascular Surgery)
- Benharash P, Lee JT, Abilez OJ, Crabtree T, Bloch DA, Zarins CK. Iliac fixation inhibits migration of both suprarenal and infrarenal aortic endografts. 2007;45:250-7
- Berce M (*see* Adam et al). 2007;45:183-5 (Case rep.)
- Berceli SA (*see* Feezor et al). 2007;45:86-9
- Berceli SA (*see* Jiang et al). 2007;45:169-76 (Basic research studies)
- Berdar PA (*see* Schoenhoff et al). 2007;45:597-9 (Case rep.)
- Bergoeing MP, Arif B, Hackmann AE, Ennis TL, Thompson RW, Curci JA. Cigarette smoking increases aortic dilatation without affecting matrix metalloproteinase-9 and -12 expression in a modified mouse model of aneurysm formation. 2007;45: 1217-27 (Basic research studies)
- Bergqvist D (*see* Sigvant et al). 2007;45:1185-91 (From the New England Society For Vascular Surgery)
- Bergqvist D (*see* Wanhainen et al). 2007;45:1109-13
- Berland TL (*see* Falkensammer et al). 2007;45:900-5
- Bertoglio C (*see* Lenti et al). 2007;45:32-9
- Bertoglio L (*see* Chiesa et al). 2007;45:1128-35 (From the Mid-western Vascular Surgical Society)
- Bhatti AF, Leon, Jr LR, Labropoulos N, Rubinas TL, Rodriguez H, Kalman PG, Schneck M, Psalms SB, Biller J. Free-floating thrombus of the carotid artery: Literature review and case reports. 2007;45:199-205 (Review article)
- Biebl M (*see* Falkensammer et al). 2007;45:900-5
- Biglioli P (*see* Spirito et al). 2007;45:1076-9 (Case rep.)
- Bikk A (*see* Lai et al). 2007;45:191
- Biller J (*see* Bhatti et al). 2007;45:199-205 (Review article)
- Björck M (*see* Tegler et al). 2007;45:828-30 (Case rep.)
- Björck M (*see* Wanhainen et al). 2007;45:1109-13
- Blackhurst DW (*see* Taylor et al). 2007;45:304-11
- Blair PH (*see* O'Donnell et al). 2007;45:694-700
- Blankestijn PJ (*see* Huijbregts et al). 2007;45:962-7
- Bloch DA (*see* Benharash et al). 2007;45:250-7
- Blom HJ (*see* Peeters et al). 2007;45:701-5
- Böckler D (*see* Zhang et al). 2007;45:1039-46 (Basic research studies)
- Boersma E (*see* Feringa et al). 2007;45:936-43
- Boman K (*see* Wanhainen et al). 2007;45:1109-13
- Bonilla AS (*see* McCarthy et al). 2007;45:986-91
- Bortone A (*see* Regina et al). 2007;45:391-4 (Case rep.)
- Bots ML (*see* Huijbregts et al). 2007;45:962-7
- Bouyé P (*see* Jaquinandi et al). 2007;45:312-8
- Bouzeghrane F (*see* Darsaut et al). 2007;45:1228-35 (Basic research studies)
- Bower TC (*see* Huang et al). 2007;45:706-14
- Bown MJ (*see* Middleton et al). 2007;45:574-80 (Basic research studies)
- Bowser AN (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)
- Braaten A (*see* Dregelid et al). 2007;45:1059-61 (Case rep.)
- Bradbury AW (*see* Hobbs et al). 2007;45:66-69
- Brass EP (*see* Nehler et al). 2007;45:953-61
- Brewster DC (*see* Atkins et al). 2007;45:1162-71 (From the Mid-western Vascular Surgical Society)
- Brewster DC (*see* Peterson et al). 2007;45:885-90
- Brindle NPJ (*see* Dunmore et al). 2007;45:155-9 (Basic research studies)
- Brochado-Neto FC (*see* Albers et al). 2007;45:536-42
- Brooke BS, McGirt MJ, Woodworth GF, Chang DC, Roseborough GS, Freischlag JA, Perler BA. Preoperative statin and diuretic use influence the presentation of patients undergoing carotid endarterectomy: Results of a large single-institution case-control study. 2007;45:298-303
- Brooks PC (*see* Hobeika et al). 2007;45:849-57 (Review article)
- Brown D (*see* Nelson et al). 2007;45:134-41
- Brown MP (*see* Lee et al). 2007;45:1095-1101
- Bryant MA (*see* McCready et al). 2007;45:1066-8 (Case rep.), 1080-2
- Brydges R (*see* Sidhu et al). 2007;45:343-9
- Buczkowski G (*see* Vasquez et al). 2007;45:1008-15
- Burrow J (*see* Chahwan et al). 2007;45:258-62
- Bush RG. Regarding "Early and late complications of silicone patch saphenoplasty at the saphenofemoral junction". 2007; 45:1090 (Letter)
- Bush RG. Regarding "Reduced recanalization rates of the great saphenous vein after endovenous laser treatment with increase energy dosing: Definition of a threshold for the endovenous fluence equivalent". 2007;45:865-6 (Letter)
- Bush RL, Johnson ML, Hedayati N, Henderson WG, Lin PH, Lumsden AB. Performance of endovascular aortic aneurysm repair in high-risk patients: Results from the Veterans Affairs National Surgical Quality Improvement Program. 2007;45: 227-34
- Bush RL (*see* McLafferty et al). 2007;45:142-8
- Buth J (*see* Hobo et al). 2007;45:79-85

C

- Cagiannos C (*see* Pinter et al). 2007;45:1136-41 (From the Mid-western Vascular Surgical Society)
- Çakmak A (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
- Calliari F M (*see* Chiesa et al). 2007;45:1128-35 (From the Mid-western Vascular Surgical Society)
- Calliari F (*see* Marrocco-Trischitta et al). 2007;45:614
- Calligaro KD (*see* Kolakowski, Jr et al). 2007;45:60-64
- Cambria RP (*see* Atkins et al). 2007;45:1162-71 (From the Mid-western Vascular Surgical Society)
- Cao P (*see* Lenti et al). 2007;45:32-9
- Caprini JA (*see* McLafferty et al). 2007;45:142-8
- Carpenter JP (*see* Jackson et al). 2007;45:662-66
- Carrel TP (*see* Schoenhoff et al). 2007;45:597-9 (Case rep.)
- Cenzi D (*see* Mansueto et al). 2007;45:1120-7 (From the Mid-western Vascular Surgical Society)
- Chaer RA (*see* DeRubertis et al). 2007;45:716-25
- Chahwan S, Comerota AJ, Pigott JP, Scheuermann BW, Burrow J, Wojnarowski D. Elective treatment of abdominal aortic aneurysm with endovascular or open repair: The first decade. 2007; 45:258-62
- Chahwan S, Miller MT, Pigott JP, Whalen RC, Jones L, Comerota

- AJ. Carotid artery velocity characteristics after carotid artery angioplasty and stenting. 2007;45:523-6
- Chaikof EL (*see* Harris et al). 2007;45:845 (Special communications)
- Chalmers RT (*see* Currie et al). 2007;45:733-9
- Chan C, Chen Y, Ma M, Chen C. Remodeling of experimental arteriovenous fistula with increased matrix metalloproteinase expression in rats. 2007;45:804-11 (Basic research studies)
- Chang BB (*see* Kreienberg et al). 2007;45:929-35
- Chang DC (*see* Brooke et al). 2007;45:298-303
- Chao A, Major K, Kumar SR, Patel K, Trujillo I, Hood DB, Rowe VL, Weaver FA. Carbon dioxide digital subtraction angiography-assisted endovascular aortic aneurysm repair in the azotemic patient. 2007;45:451-60
- Charles K (*see* Neschis et al). 2007;45:487-92
- Cheema M (*see* Kreienberg et al). 2007;45:929-35
- Chen C (*see* Chan et al). 2007;45:804-11 (Basic research studies)
- Chen Y (*see* Chan et al). 2007;45:804-11 (Basic research studies)
- Cherr GS, Wang J, Zimmerman PM, Dosluoglu HH. Depression is associated with worse patency and recurrent leg symptoms after lower extremity revascularization. 2007;45:744-50
- Chess BA (*see* McCready et al). 2007;45:1080-2 (Case rep.)
- Chiche L (*see* Kieffer et al). 2007;45:831-3 (Case rep.)
- Chiesa R (*see* Marrocco-Trischitta et al). 2007;45:481-6, 614
- Chiesa R, Tshomba Y, Melissano G, Marone EM, Bertoglio L, Setacci F, Calliari F M. Hybrid approach to thoracoabdominal aortic aneurysms in patients with prior aortic surgery. 2007;45:1128-35 (From the Midwestern Vascular Surgical Society)
- Cho J (*see* Barbato et al). 2007;45:667-76
- Choi ET (*see* Curi et al). 2007;45:505-10
- Choi YH (*see* Chung et al). 2007;45:906-14
- Choke E (*see* Dawson et al). 2007;45:350-6 (Basic research studies)
- Chung JW, Kim H, Choi YH, Kim SJ, Lee W, Park JH. Patterns of aortic involvement in Takayasu arteritis and its clinical implications: Evaluation with spiral computed tomography angiography. 2007;45:906-14
- Chung TK (*see* Atkins et al). 2007;45:1162-71 (From the Midwestern Vascular Surgical Society)
- Chuter TAM (*see* Hiramoto et al). 2007;45:461-65, 472-4
- Cieri E (*see* Lenti et al). 2007;45:32-9
- Cina CS (*see* Moore et al). 2007;45:443-50
- Cinà CS (*see* Mastracci et al). 2007;45:1268-76 (Review article)
- Clagett GP (*see* Smith et al). 2007;45:395-8 (Case rep.)
- Clagett GP (*see* Yau et al). 2007;45:96-100
- Clair DG (*see* Tulsyan et al). 2007;45:276-83
- Clancy P (*see* Golledge et al). 2007;45:40-6
- Clifford AG (*see* Dubé et al). 2007;45:821-7 (Basic research studies)
- Clouse WD (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)
- Cockerill GW (*see* Dawson et al). 2007;45:350-6 (Basic research studies)
- Cogbill TH (*see* Ruby et al). 2007;45:834-6 (Case rep.)
- Cohen DJ (*see* Gray et al). 2007;45:223 (Letter)
- Coimbra R (*see* Deree et al). 2007;45:493-7
- Collaborative Group HPS. Randomized trial of the effects of cholesterol-lowering with simvastatin on peripheral vascular and other major vascular outcomes in 20,536 people with peripheral arterial disease and other high-risk conditions. 2007;45:645-53
- Comerota AJ (*see* Chahwan et al). 2007;45:258-62, 523-6
- Comerota AJ (*see* Miller et al). 2007;45:381-86 (Case rep.)
- Conte MS (*see* Owens et al). 2007;45:2-8, 944-52
- Conte MS (*see* Schanzer et al). 2007;45:740-3
- Coogan S (*see* Rapp et al). 2007;45:867-74
- Cooper NJ (*see* Middleton et al). 2007;45:574-80 (Basic research studies)
- Cormier E (*see* Kieffer et al). 2007;45:831-3 (Case rep.)
- Corriere MA, Suave KJ, Ayerdi J, Craven BL, Stafford JM, Geary RL, Edwards MS. Vena cava filters and inferior vena cava thrombosis. 2007;45:789-94
- Corriveau M (*see* Iyer et al). 2007;45:600-2 (Case rep.)
- Coscarella C (*see* Lenti et al). 2007;45:32-9
- Cox MW (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)
- Crabtree T (*see* Benharash et al). 2007;45:250-7
- Craven BL (*see* Corriere et al). 2007;45:789-94
- Creager MA (*see* Owens et al). 2007;45:2-8
- Criado F (*see* Ohki et al). 2007;45:236-42
- Criqui MH (*see* Aboyans et al). 2007;45:319-27
- Cronenwett J (*see* Nolan et al). 2007;45:1179-84 (From the New England Society For Vascular Surgery)
- Cronenwett JL (*see* Wyers et al). 2007;45:269-75
- Cronenwett JL, Seeger, MD, Editors JM. Requirement for registration of clinical trials. 2007;45:1 (Surgical ethics challenges)
- Crook JE (*see* Falkensammer et al). 2007;45:900-5
- Crowther RG (*see* Golledge et al). 2007;45:40-6
- Crowther RG, Spinks WL, Leicht AS, Quigley F, Golledge J. Relationship between temporal-spatial gait parameters, gait kinematics, walking performance, exercise capacity, and physical activity level in peripheral arterial disease. 2007;45:1172-8 (From the Midwestern Vascular Surgical Society)
- Cuadrado D (*see* Arthurs et al). 2007;45:726-32
- Curci JA (*see* Bergoeing et al). 2007;45:1217-27 (Basic research studies)
- Curi MA, Geraghty PJ, Merino OA, Veeraswamy RK, Rubin BG, Sanchez LA, Choi ET, Sicard GA. Mid-term outcomes of endovascular popliteal artery aneurysm repair. 2007;45:505-10
- Currie IS, Wakelin SJ, Lee AJ, Chalmers RT. Plasma creatine kinase indicates major amputation or limb preservation in acute lower limb ischemia. 2007;45:733-9
- Cushner H (*see* Arthurs et al). 2007;45:726-32

D

- D. vd Pavoordt E (*see* de Borst et al). 2007;45:118-23
- Dai W, Hale SL, Kloner RA. Development of a spontaneously beating vein by cardiomyocyte transplantation in the wall of the inferior vena cava in a rat: A pilot study. 2007;45:817-20 (Basic research studies)
- Dalsing MC (*see* McLafferty et al). 2007;45:142-8
- Dalsing MC. The Midwestern Vascular Surgical Society: Revelations, opportunities, and a sense of pride. 2007;45:206-13 (Presidential Address)
- Daniel S (*see* Monahan et al). 2007;45:581-9 (Basic research studies)
- Dardik H. Regarding "Adjuvant arteriovenous fistula as a means of rescue for infrapopliteal venous bypass with poor runoff". 2007;45:1091 (Letter)
- Darling, III RC (*see* Kreienberg et al). 2007;45:929-35
- Darsaut T, Bouzeighrane F, Salazkin I, Lerouge S, Soulez G, Gevry G, Raymond J. The effects of stenting and endothelial denudation on aneurysm and branch occlusion in experimental aneurysm models. 2007;45:1228-35 (Basic research studies)
- Davies MG (*see* Bakken et al). 2007;45:776-83

- Davies MG (*see* Protack et al). 2007;45:110-7, 992-7
- Dawson DL, Meyer J, Lee ES, Pevec WC. Training with simulation improves residents' endovascular procedure skills. 2007;45:149-54
- Dawson J, Cockerill GW, Choke E, Belli A, Loftus I, Thompson MM. Aortic aneurysms secrete interleukin-6 into the circulation. 2007;45:350-6 (Basic research studies)
- de Bie RA (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
- de Borst GJ, Ackerstaff RGA, de Vries JPM, D. vd Pavoordt E, Vos JA, Overtom TT, Moll FL. Carotid angioplasty and stenting for postendarterectomy stenosis: Long-term follow-up. 2007;45:118-23
- de Campos JR (*see* Munia et al). 2007;45:130-3
- De Cillis E (*see* Regina et al). 2007;45:391-4 (Case rep.)
- De Kleijn DPV (*see* Hellings et al). 2007;45:289-97
- De Maeseneer MG. Regarding "Early and late complications of silicone patch saphenoplasty at the saphenofemoral junction". 2007;45:1090 (Letter reply)
- De Rango P (*see* Lenti et al). 2007;45:32-9
- de Vries JPM (*see* de Borst et al). 2007;45:118-23
- De Vries JPM (*see* Hellings et al). 2007;45:289-97
- Deatrick KB (*see* Henke et al). 2007;45:998-1007
- Delis KT, Gloviczki P, Wennberg PW, Rooke TW, Driscoll DJ. Hemodynamic impairment, venous segmental disease, and clinical severity scoring in limbs with Klippel-Trenaunay syndrome. 2007;45:561-7
- DeMaoribus CA (*see* Slovut et al). 2007;45:414
- Demirpençe E (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
- den Heijer M (*see* Peeters et al). 2007;45:701-5
- Deniz Dinçer U (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
- Dennis MJ (*see* Karkos et al). 2007;45:1148-54 (From the Midwestern Vascular Surgical Society)
- Deree J, Shenvi E, Fortlage D, Stout P, Potenza B, Hoyt DB, Coimbra R. Patient factors and operating room resuscitation predict mortality in traumatic abdominal aortic injury: A 20-year analysis. 2007;45:493-7
- DeRose G (*see* Faizer et al). 2007;45:1102-8
- DeRubertis B (*see* Lam et al). 2007;45:875-80
- DeRubertis BG, Chaer RA, Gordon R, Bell H, Hynecsek RL, Pieracci FM, Karwowski J, Kent KC, Faries PL. Determining the quantity and character of carotid artery embolic debris by electron microscopy and energy dispersive spectroscopy. 2007;45:716-25
- DeValk E (*see* Piano et al). 2007;45:784-8
- Dick F, Diehm N, Galimanis A, Husmann M, Schmidli J, Baumgartner I. Surgical or endovascular revascularization in patients with critical limb ischemia: Influence of diabetes mellitus on clinical outcome. 2007;45:751-61
- Dick F (*see* Diehm et al). 2007;45:263-8
- Dickinson KJ, Parry DJ, Sandoe JA, Gough MJ. Multiple peripheral pneumococcal mycotic aneurysms without aortic involvement: A unique case confirmed with the novel use of a molecular diagnostic technique. 2007;45:1253-5 (Case rep.)
- Diehm N, Kickuth R, Gahl B, Do D, Schmidli J, Rattunde H, Baumgartner I, Dick F. Intraobserver and interobserver variability of 64-row computed tomography abdominal aortic aneurysm neck measurements. 2007;45:263-8
- Diehm N (*see* Dick et al). 2007;45:751-61
- Diethrich E (*see* Ohki et al). 2007;45:236-42
- Dietz CA (*see* Molina et al). 2007;45:328-34
- DiSalle R (*see* Miller et al). 2007;45:381-86 (Case rep.)
- Divelbiss JL (*see* McCready et al). 2007;45:1080-2 (Case rep.)
- Do D (*see* Diehm et al). 2007;45:263-8
- Docampo MM (*see* González et al). 2007;45:180-2 (Case rep.)
- Donaldson MC. The care of the patient with vascular disease. 2007;45:427-32 (Presidential address)
- Dormandy J (*see* Nehler et al). 2007;45:953-61
- Dosluoglu HH (*see* Cherr et al). 2007;45:744-50
- Dosluoglu HH (*see* Vasquez et al). 2007;45:1008-15
- Dougherty MJ (*see* Kolakowski, Jr et al). 2007;45:60-64
- Dregelid E, Jenssen G, Jonung T, Braaten A. Pseudoaneurysm of the abdominal aorta due to a needle-like osteophyte on the first lumbar vertebra. 2007;45:1059-61 (Case rep.)
- Driscoll DJ (*see* Delis et al). 2007;45:561-7
- Dubé H, Clifford AG, Barry CM, Schwarten DE, Schwartz LB. Comparison of the vascular responses to balloon-expandable stenting in the coronary and peripheral circulations: Long-term results in an animal model using the TriMaxx stent. 2007;45:821-7 (Basic research studies)
- Dubrowski A (*see* Sidhu et al). 2007;45:343-9
- Dunmore BJ, McCarthy MJ, Naylor AR, Brindle NPJ. Carotid plaque instability and ischemic symptoms are linked to immaturity of microvessels within plaques. 2007;45:155-9 (Basic research studies)
- Duong MH, Mackenzie TA, Zwolak RM, Kaplan AV, Robb JF, Thompson CA. Correlation of invasive Doppler flow wire with renal duplex ultrasonography in the evaluation of renal artery stenosis: The Renal Artery Stenosis Invasive Doppler (RAIDER) study. 2007;45:284-8
- Duong ST (*see* Leon, Jr et al). 2007;45:1244-8 (Case rep.)

E

- Eckstein FS (*see* Schoenhoff et al). 2007;45:597-9 (Case rep.)
- Edwards MS (*see* Corriere et al). 2007;45:789-94
- Egashira K (*see* Tatewaki et al). 2007;45:1236-43 (Basic research studies)
- Eidt JF (*see* Harris et al). 2007;45:845 (Special communications)
- Eklof BG (*see* McLafferty et al). 2007;45:142-8
- Eliason JL (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)
- Ellis PK (*see* O'Donnell et al). 2007;45:694-700
- Engelshoven JMA van (*see* Nijenhuis et al). 2007;45:71-8
- Ennis TL (*see* Bergoeing et al). 2007;45:1217-27 (Basic research studies)
- Ersozlu S, Ozulku M, Yildirim E, Tandogan R. Common peroneal nerve palsy from an untreated popliteal pseudoaneurysm after penetrating injury. 2007;45:408-10 (Case rep.)
- Eslami MH (*see* McPhee et al). 2007;45:891-9
- Eslami MH, Zayaruzny M, Fitzgerald GA. The adverse effects of race, insurance status, and low income on the rate of amputation in patients presenting with lower extremity ischemia. 2007;45:55-9
- Espino DR (*see* Jiang et al). 2007;45:169-76 (Basic research studies)

F

- Faella H (*see* Parodi et al). 2007;45:1263-7 (Tech. Note)
- Fairman RM (*see* Jackson et al). 2007;45:662-66
- Faizer R, DeRose G, Lawlor DK, Harris KA, Forbes TL. Objective scoring systems of medical risk: A clinical tool for selecting patients for open or endovascular abdominal aortic aneurysm repair. 2007;45:1102-8
- Falkensammer J, Oldenburg WA, Biebl M, Hugl B, Hakaim AG,

- Crook JE, Berland TL, Paz-Fumagalli R. Abdominal aortic aneurysm neck remodeling after open aneurysm repair. 2007;45:900-5
- Farber MA (*see* Riesenman et al). 2007;45:90-5
- Faries PL (*see* DeRubertis et al). 2007;45:716-25
- Faries PL (*see* Lam et al). 2007;45:875-80
- Faries PL (*see* Liu et al). 2007;45:160-8 (Basic research studies)
- Faries PL. Elective treatment of abdominal aortic aneurysm with endovascular or open repair: The first decade. 2007;45:262 (Invited commentary)
- Faris P (*see* Moore et al). 2007;45:443-50
- Feezor RJ, Huber TS, Martin TD, Beaver TM, Hess PJ, Klodell CT, Nelson PR, Berceli SA, Seeger JM, Lee WA. Perioperative differences between endovascular repair of thoracic and abdominal aortic diseases. 2007;45:86-9
- Fegan C (*see* Hobbs et al). 2007;45:66-69
- Fehrenbacher JW (*see* McCready et al). 2007;45:1066-8 (Case rep.)
- Ferguson E (*see* Henke et al). 2007;45:998-1007
- Feringa HHH, Karagiannis SE, van Wanng VH, Boersma E, Schouten O, Bax JJ, Poldermans D. The effect of intensified lipid-lowering therapy on long-term prognosis in patients with peripheral arterial disease. 2007;45:936-43
- Ferran C (*see* Monahan et al). 2007;45:581-9 (Basic research studies)
- Ferreira LM (*see* Parodi et al). 2007;45:1263-7 (Tech. Note)
- Ferris BL (*see* Gibson et al). 2007;45:795-803
- Fillinger MF (*see* Goodney et al). 2007;45:686-93
- Fillinger MF. Long-term outcome and reintervention after endovascular abdominal aortic aneurysm repair using the Zenith stent graft. 2007;45:466 (Invited commentary)
- Fillinger M (*see* Tanski, III et al). 2007;45:243-9
- Finlayson S (*see* Nolan et al). 2007;45:1179-84 (From the New England Society For Vascular Surgery)
- Fitzgerald GA (*see* Eslami et al). 2007;45:55-9
- Flaherty SK (*see* AbuRahma et al). 2007;45:881-4
- Flinn WR (*see* McLafferty et al). 2007;45:142-8
- Flinn WR (*see* Neschis et al). 2007;45:487-92
- Flum DR (*see* Vogel et al). 2007;45:762-7
- Forbes TL (*see* Faizer et al). 2007;45:1102-8
- Fortlage D (*see* Deree et al). 2007;45:493-7
- Franklin JS (*see* Lai et al). 2007;45:191
- Freischlag JA (*see* Brooke et al). 2007;45:298-303
- Fulton GJ (*see* Killeen et al). 2007;45:615-26 (Review article)
- Fulton JJ (*see* Riesenman et al). 2007;45:90-5

G

- Gable D (*see* Kedora et al). 2007;45:10-6
- Gagne PJ (*see* Hobeika et al). 2007;45:849-57 (Review article)
- Gahl B (*see* Diehm et al). 2007;45:263-8
- Galimanis A (*see* Dick et al). 2007;45:751-61
- Gangireddy C, Rectenwald JR, Upchurch GR, Wakefield TW, Khuri S, Henderson WG, Henke PK. Risk factors and clinical impact of postoperative symptomatic venous thromboembolism. 2007;45:335-42
- García BA (*see* González et al). 2007;45:180-2 (Case rep.)
- Garrett W (*see* Kedora et al). 2007;45:10-6
- Geary RL (*see* Corriere et al). 2007;45:789-94
- Georgiadis GS (*see* Lazarides et al). 2007;45:420-6 (Review article)
- Georgopoulos S (*see* Klonaris et al). 2007;45:498-504
- Geraghty PJ (*see* Curi et al). 2007;45:505-10

- Gevry G (*see* Darsaut et al). 2007;45:1228-35 (Basic research studies)
- Gewertz BL (*see* Piano et al). 2007;45:784-8
- Giannopoulos A (*see* Klonaris et al). 2007;45:498-504
- Giannoukas AD (*see* Labropoulos et al). 2007;45:568-73
- Giau GD (*see* Ballotta et al). 2007;45:516-22
- Gibson B (*see* Nelson et al). 2007;45:134-41
- Gibson KD, Ferris BL, Polissar N, Neradilek B, Pepper D. Endovenous laser treatment of the short saphenous vein: Efficacy and complications. 2007;45:795-803
- Gillard JH (*see* Li et al). 2007;45:768-75
- Glastonbury C (*see* Rapp et al). 2007;45:867-74
- Gloviczki P (*see* Delis et al). 2007;45:561-7
- Gloviczki P (*see* Huang et al). 2007;45:706-14
- Goessens BMB, van der Graaf Y, Olijhoek JK, Visseren FLJ. The course of vascular risk factors and the occurrence of vascular events in patients with symptomatic peripheral arterial disease. 2007;45:47-54
- Goff, Jr DC (*see* Aboyans et al). 2007;45:319-27
- Golledge J, Leicht A, Crowther RG, Clancy P, Spinks WL, Quigley F. Association of obesity and metabolic syndrome with the severity and outcome of intermittent claudication. 2007;45:40-6
- Golledge J (*see* Crowther et al). 2007;45:1172-8 (From the Midwestern Vascular Surgical Society)
- Goncharova I (*see* McCarthy et al). 2007;45:986-91
- González JMD, García BA, Lebrun JM, Docampo MM. Combined surgery for the treatment of bilateral subclavian artery aneurysm in Marfan syndrome. 2007;45:180-2 (Case rep.)
- Goode S (*see* Altaf et al). 2007;45:641 (Letter)
- Goodney PP, Fillinger MF. The effect of endograft relining on sac expansion after endovascular aneurysm repair with the original-permeability Gore Excluder abdominal aortic aneurysm endoprosthesis. 2007;45:686-93
- Gordon R (*see* DeRubertis et al). 2007;45:716-25
- Goshima K (*see* Leon, Jr et al). 2007;45:1244-8 (Case rep.)
- Gottin L (*see* Mansueto et al). 2007;45:1120-7 (From the Midwestern Vascular Surgical Society)
- Gough MJ (*see* Dickinson et al). 2007;45:1253-5 (Case rep.)
- Gough MJ (*see* Russell et al). 2007;45:367-72 (Basic research studies)
- Graafma SJ (*see* Peeters et al). 2007;45:701-5
- Graves MJ (*see* Li et al). 2007;45:768-75
- Gravett DM (*see* Kohler et al). 2007;45:1029-38 (Basic research studies)
- Gray WA, Verta P, Walker G, Cohen DJ. Regarding "Protected carotid stenting in high-surgical-risk patients: The ARCHER results". 2007;45:223 (Letter reply)
- Greenberg RK (*see* Kashyap et al). 2007;45:101-7
- Greenberg RK (*see* Tulsyan et al). 2007;45:276-83
- Griffith BP (*see* Neschis et al). 2007;45:487-92
- Griso A (*see* Mansueto et al). 2007;45:1120-7 (From the Midwestern Vascular Surgical Society)
- Guegan H (*see* Kieffer et al). 2007;45:831-3 (Case rep.)
- Gullerud RE (*see* Huang et al). 2007;45:706-14
- Gumbs AA (*see* Mansueto et al). 2007;45:1120-7 (From the Midwestern Vascular Surgical Society)
- Gutta R (*see* Neschis et al). 2007;45:487-92

H

- Hackmann AE (*see* Bergoeing et al). 2007;45:1217-27 (Basic research studies)
- Haddad GK (*see* Kakkos et al). 2007;45:974-80

- Haddad R (*see* Kakkos et al). 2007;45:974-80
- Hagmüller GW (*see* Assadian et al). 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)
- Hakaim AG (*see* Falkensammer et al). 2007;45:900-5
- Hakaim AG (*see* Hugl et al). 2007;45:1259-61 (Case rep.)
- Hale SL (*see* Dai et al). 2007;45:817-20 (Basic research studies)
- Hamdan AD (*see* Owens et al). 2007;45:2-8
- Hamming JF (*see* Hinnen et al). 2007;45:812-6 (Basic research studies)
- Hanack U (*see* Tsilimparis et al). 2007;45:1249-52 (Case rep.)
- Hans SS, Jareunpoon O. Prospective evaluation of electroencephalography, carotid artery stump pressure, and neurologic changes during 314 consecutive carotid endarterectomies performed in awake patients. 2007;45:511-5
- Harper DR (*see* Nelson et al). 2007;45:134-41
- Harris KA (*see* Faizer et al). 2007;45:1102-8
- Harris LM, Chaikof EL, Eidt JF. Altering the career choice: Can we attract more women to vascular surgery? 2007;45:845 (Special communications)
- Hartley DE (*see* Adam et al). 2007;45:183-5 (Case rep.)
- Hartung O, Vidal V, Marani I, Saran A, Bartoli JM, Alimi Y S. Treatment of an early type II endoleak causing hemorrhage after endovascular aneurysm repair for ruptured abdominal aortic aneurysm. 2007;45:1062-5 (Case rep.)
- Hashemi H, Massimiano P, Mukherjee D, Aryavand B. Internal iliac artery revascularization for limb salvage purposes. 2007;45:607-9 (Case rep.)
- Hayoz D (*see* Kern et al). 2007;45:1212-16 (From the New England Society For Vascular Surgery)
- Hedayati N (*see* Bush et al). 2007;45:227-34
- Hellings WE, Pasterkamp G, Verhoeven BAN, De Kleijn DPV, De Vries JPM, Seldenrijk KA, van den Broek T, Moll FL. Gender-associated differences in plaque phenotype of patients undergoing carotid endarterectomy. 2007;45:289-97
- Henderson WG (*see* Bush et al). 2007;45:227-34
- Henderson WG (*see* Gangireddy et al). 2007;45:335-42
- Hendriks E (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
- Hendrikse J (*see* Van Laar et al). 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
- Henestrosa G (*see* Parodi et al). 2007;45:1263-7 (Tech. Note)
- Henke PK, Ferguson E, Varma M, Deatrick KB, Wakefield GTW, Woodrum DT. Proximate versus nonproximate risk factor associated primary deep venous thrombosis: Clinical spectrum and outcomes. 2007;45:998-1007
- Henke PK (*see* Gangireddy et al). 2007;45:335-42
- Hermus AR (*see* Peeters et al). 2007;45:701-5
- Hertzner NR, Bena JF, Karafa MT. A personal experience with direct reconstruction and extra-anatomic bypass for aortoiliac-femoral occlusive disease. 2007;45:527-35
- Hess PJ (*see* Feezor et al). 2007;45:86-9
- Hiatt W R (*see* Nehler et al). 2007;45:953-61
- Hiatt WR. Randomized trial of the effects of cholesterol-lowering with simvastatin on peripheral vascular and other major vascular outcomes in 20,536 people with peripheral arterial disease and other high-risk conditions. 2007;45:654 (Invited commentary)
- Hill JS (*see* McPhee et al). 2007;45:891-9
- Hingorani AP (*see* Ascher et al). 2007;45:17-24
- Hinnen J, Rixen DJ, Koning OH, Van Bockel HJ, Hamming JF. Aneurysm sac pressure monitoring: Does the direction of pressure measurement matter in fibrinous thrombus? 2007;45:812-6 (Basic research studies)
- Hiramoto JS, Reilly LM, Schneider DB, Sivamurthy N, Rapp JH, Chuter TAM. Long-term outcome and reintervention after endovascular abdominal aortic aneurysm repair using the Zenith stent graft. 2007;45:461-65
- Hiramoto JS, Reilly LM, Schneider DB, Skorobogaty H, Rapp J, Chuter TAM. The effect of magnetic resonance imaging on stainless-steel Z-stent-based abdominal aortic prosthesis. 2007;45:472-4
- Ho KJ (*see* Owens et al). 2007;45:944-52
- Ho S (*see* Turner et al). 2007;45:1022-9 (Basic research studies)
- Hobbs SD, Marshall T, Fegan C, Adam DJ, Bradbury AW. The effect of supervised exercise and cilostazol on coagulation and fibrinolysis in intermittent claudication: A randomized controlled trial. 2007;45:66-69
- Hobeika MJ, Thompson RW, Muhs BE, Brooks PC, Gagne PJ. Matrix metalloproteinases in peripheral vascular disease. 2007;45:849-57 (Review article)
- Hobo R, Laheij RJF, Buth J. The influence of aortic cuffs and iliac limb extensions on the outcome of endovascular abdominal aortic aneurysm repair. 2007;45:79-85
- Hoch JR (*see* Tefera et al). 2007;45:1114-9 (From the Midwestern Vascular Surgical Society)
- Hodgson KJ (*see* McLafferty et al). 2007;45:981-5
- Hohmann S (*see* Kedora et al). 2007;45:10-6
- Hood DB (*see* Chao et al). 2007;45:451-60
- Horbach T (*see* Horch et al). 2007;45:837-40 (Case rep.)
- Horch RE, Horbach T, Lang W. The nutrient omentum free flap: Revascularization with vein bypasses and greater omentum flap in severe arterial ulcers. 2007;45:837-40 (Case rep.)
- Horner RD, Leonard AC. Factors associated with a provider's recommendation of carotid endarterectomy: Implications for understanding disparities in the use of invasive procedures. 2007;45:124-9
- Hoskin TL (*see* Huang et al). 2007;45:706-14
- Howarth SPS (*see* Li et al). 2007;45:768-75
- Hoyt DB (*see* Deree et al). 2007;45:493-7
- Huang Y, Gloviczki P, Noel AA, Sullivan TM, Kalra M, Gullerud RE, Hoskin TL, Bower TC. Early complications and long-term outcome after open surgical treatment of popliteal artery aneurysms: Is exclusion with saphenous vein bypass still the gold standard? 2007;45:706-14
- Huber TS (*see* Feezor et al). 2007;45:86-9
- Huber TS (*see* Lee et al). 2007;45:1095-1101
- Huber TS. Early complications and long-term outcome after open surgical treatment of popliteal artery aneurysms: Is exclusion with saphenous vein bypass still the gold standard? 2007;45:715 (Invited commentary)
- Hübl W (*see* Assadian et al). 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)
- Hugl B (*see* Falkensammer et al). 2007;45:900-5
- Hugl B, Oldenburg WA, Hakaim AG, Persellin ST. Unusual etiology of upper extremity ischemia in a scleroderma patient: Thoracic outlet syndrome with arterial embolization. 2007;45:1259-61 (Case rep.)
- Huijbregts HJ, Bots ML, Moll FL, Blankestijn PJ. Hospital specific aspects predominantly determine primary failure of hemodialysis arteriovenous fistulas. 2007;45:962-7
- Hunger K (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)
- Hunter DW (*see* Molina et al). 2007;45:328-34
- Hunter GC (*see* Killewich et al). 2007;45:554-60
- Husmann M (*see* Dick et al). 2007;45:751-61

- Hutto JD, Reed AB. Endovascular repair of an acute blunt popliteal artery injury. 2007;45:188-90 (Case rep.)
Hynecek R (*see* Lam et al). 2007;45:875-80
Hynecek RL (*see* DeRubertis et al). 2007;45:716-25

I

- Iafrati M. The diabetic foot: Medical and surgical management. 2007;45:643 (Book review)
Illig KA (*see* Protack et al). 2007;45:110-7
Immer FF (*see* Schoenhoff et al). 2007;45:597-9 (Case rep.)
Impedovo G (*see* Regina et al). 2007;45:391-4 (Case rep.)
Inuzuka K (*see* Unno et al). 2007;45:1016-21
Itoh H (*see* Liu et al). 2007;45:160-8 (Basic research studies)
Iyer VS, MacKenzie KS, Corriveau M, Steinmetz OK. Reversible endotension associated with excessive warfarin anticoagulation. 2007;45:600-2 (Case rep.)
Izumi Y (*see* Magishi et al). 2007;45:387-90 (Case rep.)

J

- Jackson BM, Carpenter JP, Fairman RM, Moser GW, Pochettino A, Woo EY, Bavaria JE. Anatomic exclusion from endovascular repair of thoracic aortic aneurysm. 2007;45:662-66
Jacobs CE (*see* McCarthy et al). 2007;45:986-91
Jacobs MJ (*see* Nijenhuis et al). 2007;45:71-8, 677-85
Jacobs TS (*see* Baril et al). 2007;45:915-21
Jankovic RJ (*see* Milic et al). 2007;45:411-3 (Case rep.)
Jaquinandi V, Picquet J, Bouyé P, Saumet, J, Leftheriotis G, Abraham P. High prevalence of proximal claudication among patients with patent aortobifemoral bypasses. 2007;45:312-8
Jareunpoon O (*see* Hans et al). 2007;45:511-5
Jaspers K (*see* Nijenhuis et al). 2007;45:677-85
Jenkins DH (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)
Jenssen G (*see* Dregelid et al). 2007;45:1059-61 (Case rep.)
Jiang Z, Shukla A, Miller BL, Espino DR, Tao M, Berceci SA, Ozaki CK. Tumor necrosis factor- α and the early vein graft. 2007;45:169-76 (Basic research studies)
Jiao J (*see* Nehler et al). 2007;45:953-61
Jimenez JC, Lawrence PF, Rigberg DA, Quinones-Baldrich WJ. Technical modifications in endoscopic vein harvest techniques facilitate their use in lower extremity limb salvage procedures. 2007;45:549-53
Johnson BL (*see* Keeling et al). 2007;45:25-31
Johnson CM (*see* McLafferty et al). 2007;45:981-5
Johnson ML (*see* Bush et al). 2007;45:227-34
Jones JW, McCullough LB. Are ethics practical when externals impact your clinical judgment? 2007;45:1282-4 (Surgical ethics challenges)
Jones JW, McCullough LB. Caseload outcome credentialing: Taking from the have-nots. 2007;45:214-16 (Surgical ethics challenges)
Jones JW, McCullough LB. Ethics of over-scheduling: When enough becomes too much. 2007;45:635-6 (Surgical Ethics Challenges)
Jones JW, McCullough LB. Ethics of unprofessional behavior that disrupts: Crossing the line. 2007;45:433-5 (Surgical ethics challenges)
Jones JW, McCullough LB. Fiduciary economization: Your wealth or your health. 2007;45:858-60 (Surgical ethics challenges)
Jones JW, McCullough LB. Going public with amazing cases: Fiat or fiasco? 2007;45:1084-5 (Surgical Ethics Challenges)
Jones L (*see* Chahwan et al). 2007;45:523-6
Jonung T (*see* Dregelid et al). 2007;45:1059-61 (Case rep.)

K

- Jordan, Jr WD (*see* Vaddineni et al). 2007;45:467-71
Jovanovic MM (*see* Milic et al). 2007;45:411-3 (Case rep.)
Jull A, Parag V. Error in Charing Cross Venous Ulcer Questionnaire (CXVUQ). 2007;45:1092 (Letter)
Kablak-Ziembicka A (*see* Przewlocki et al). 2007;45:1072-5 (Case rep.)
Kadohama T, Ohtani N, Sasajima T. Hepatic artery aneurysm involving the proper hepatic and gastroduodenal artery treated using a gastroepiploic artery in situ bypass. 2007;45:1069-71 (Case rep.)
Kahlberg A (*see* Marrocco-Trischitta et al). 2007;45:481-6, 614
Kakkos SK, Haddad R, Haddad GK, Reddy DJ, Nypaver TJ, Lin JC, Shepard AD. Results of aggressive graft surveillance and endovascular treatment on secondary patency rates of Vectra Vascular Access Grafts. 2007;45:974-80
Kalbaugh CA (*see* Taylor et al). 2007;45:304-11
Kalish JA (*see* Monahan et al). 2007;45:581-9 (Basic research studies)
Kalman PG (*see* Bhatti et al). 2007;45:199-205 (Review article)
Kalra M (*see* Huang et al). 2007;45:706-14
Kamiya K (*see* Liu et al). 2007;45:160-8 (Basic research studies)
Kaplan AV (*see* Duong et al). 2007;45:284-8
Karafa MT (*see* Hertzner et al). 2007;45:527-35
Karagiannis SE (*see* Feringa et al). 2007;45:936-43
Karkos CD, McMahon G, McCarthy MJ, Dennis MJ, Sayers RD, London NJM, Naylor AR. The value of urgent carotid surgery for crescendo transient ischemic attacks. 2007;45:1148-54 (From the Midwestern Vascular Surgical Society)
Karkos CD, McMahon GS, Markose G, Sayers RD, Naylor AR. Axillomesenteric bypass: An unusual solution to a difficult problem. 2007;45:404-7 (Case rep.)
Karwowski J (*see* DeRubertis et al). 2007;45:716-25
Kashyap VS (*see* Tulsyan et al). 2007;45:276-83
Kashyap VS, Sepulveda RN, Bena JF, Nally JV, Poggio ED, Greenberg RK, Yadav JS, Ouriel K. The management of renal artery atherosclerosis for renal salvage: Does stenting help? 2007;45:101-7
Katsargyris A (*see* Klonaris et al). 2007;45:498-504
Katzen B (*see* Ohki et al). 2007;45:236-42
Kauffman P (*see* Munia et al). 2007;45:130-3
Kaufman A (*see* Miller et al). 2007;45:381-86 (Case rep.)
Keagy BA (*see* Riesenman et al). 2007;45:90-5
Kedora J, Hohmann S, Garrett W, Munschaur C, Theune B, Gable D. Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease. 2007;45:10-6
Keeling WB, Shames ML, Stone PA, Armstrong PA, Johnson BL, Back MR, Bandyk DF. Plaque excision with the Silverhawk catheter: Early results in patients with claudication or critical limb ischemia. 2007;45:25-31
Kellicut DC (*see* Taylor et al). 2007;45:304-11
Kent KC (*see* DeRubertis et al). 2007;45:716-25
Kent KC (*see* Lam et al). 2007;45:875-80
Kent KC (*see* Liu et al). 2007;45:160-8 (Basic research studies)
Kern P, Ramelet A, Wütschert R, Hayoz D. Compression after sclerotherapy for telangiectasias and reticular leg veins: A randomized controlled study. 2007;45:1212-16 (From the New England Society For Vascular Surgery)
Kessels AGH (*see* Nijenhuis et al). 2007;45:71-8
Ketteler ER (*see* Piano et al). 2007;45:784-8

- Khalil RA (*see* Raffetto et al). 2007;45:373-80 (Basic research studies)
- Khuri S (*see* Gangireddy et al). 2007;45:335-42
- Kickuth R (*see* Diehm et al). 2007;45:263-8
- Kieffer E, Chiche L, Cormier E, Guegan H. Recurrent spinal cord ischemia after endovascular stent grafting for chronic traumatic aneurysm of the aortic isthmus. 2007;45:831-3 (Case rep.)
- Killeen SD, Andrews EJ, Redmond HP, Fulton GJ. Provider volume and outcomes for abdominal aortic aneurysm repair, carotid endarterectomy, and lower extremity revascularization procedures. 2007;45:615-26 (Review article)
- Killewich LA, Tuvdendorj D, Bahadorani J, Hunter GC, Wolfe RR. Amino acids stimulate leg muscle protein synthesis in peripheral arterial disease. 2007;45:554-60
- Killewich LA. The effect of supervised exercise and cilostazol on coagulation and fibrinolysis in intermittent claudication: A randomized controlled trial. 2007;45:70 (Invited commentary)
- Kim H (*see* Chung et al). 2007;45:906-14
- Kim JY (*see* Barbato et al). 2007;45:667-76
- Kim S (*see* Owens et al). 2007;45:944-52
- Kim SJ (*see* Chung et al). 2007;45:906-14
- Kimura S (*see* Tatewaki et al). 2007;45:1236-43 (Basic research studies)
- Kirkpatrick PJ (*see* Li et al). 2007;45:768-75
- Klemm K (*see* Zhang et al). 2007;45:1039-46 (Basic research studies)
- Klodell CT (*see* Feezor et al). 2007;45:86-9
- Klonaris C, Katsargyris A, Papapetrou A, Vourliotakis G, Tsiodras S, Georgopoulos S, Giannopoulos A, Bastounis E. Infected femoral artery pseudoaneurysm in drug addicts: The beneficial use of the internal iliac artery for arterial reconstruction. 2007;45:498-504
- Kloner RA (*see* Dai et al). 2007;45:817-20 (Basic research studies)
- Kohler TR, Toleikis PM, Gravett DM, Avelar RL. Inhibition of neointimal hyperplasia in a sheep model of dialysis access failure with the bioabsorbable Vascular Wrap paclitaxel-eluting mesh. 2007;45:1029-38 (Basic research studies)
- Köksoy A (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
- Köksoy C, Oziş E, Çakmak A, Yazgan U, Okcu-Heper A, Köksoy A, Demirpençe E, Deniz Dinçer U. Simvastatin pretreatment reduces the severity of limb ischemia in an experimental diabetes model. 2007;45:590-6 (Basic research studies)
- Kolakowski, Jr S, Dougherty MJ, Calligaro KD. Does the timing of reoperation influence the risk of graft infection? 2007;45:60-64
- Kolvenbach R (*see* Pinter et al). 2007;45:1136-41 (From the Midwestern Vascular Surgical Society)
- Komai H. Regarding "Massive spouting bleeding from chronic stasis ulceration caused by arteriovenous communication of the lower extremity". 2007;45:642 (Letter reply)
- Konda S (*see* Slovut et al). 2007;45:414
- Koning OH (*see* Hinnen et al). 2007;45:812-6 (Basic research studies)
- Konno H (*see* Unno et al). 2007;45:1016-21
- Kortmann H (*see* Schneider et al). 2007;45:186-7 (Case rep.)
- Kranendonk SE (*see* Peeters et al). 2007;45:701-5
- Kreienberg P, Cheema M, Chang BB, Paty PSK, Roddy SP, Darling, III RC. Primary revision of mid-vein stenoses in venous bypass conduits: Venous patch versus interposition vein. 2007;45:929-35
- Kruidenier LM (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
- Kuivaniemi H (*see* Wassef et al). 2007;45:192-9 (Special Communication)
- Kumar SR (*see* Chao et al). 2007;45:451-60
- Kundi R (*see* Liu et al). 2007;45:160-8 (Basic research studies)
- Kuratani T (*see* Ohta et al). 2007;45:866 (Letter)
- Kwolek CJ (*see* Atkins et al). 2007;45:1162-71 (From the Midwestern Vascular Surgical Society)

L

- La Mura R (*see* Parodi et al). 2007;45:1263-7 (Tech. Note)
- Labropoulos N, Manalo D, Patel NP, Tiongson J, Pryor L, Giannoukas AD. Uncommon leg ulcers in the lower extremity. 2007;45:568-73
- Labropoulos N (*see* Bhatti et al). 2007;45:199-205 (Review article)
- Laheij RJF (*see* Hobo et al). 2007;45:79-85
- Lai K, Rosenthal D, Wellons ED, Bikk A, Franklin JS. Mycotic superior mesenteric aneurysm. 2007;45:191
- Lal BK (*see* Abai et al). 2007;45:610-3 (Case rep.)
- Lam RC, Lin SC, DeRubertis B, Hynecsek R, Kent KC, Faries PL. The impact of increasing age on anatomic factors affecting carotid angioplasty and stenting. 2007;45:875-80
- LaMuraglia GM (*see* Atkins et al). 2007;45:1162-71 (From the Midwestern Vascular Surgical Society)
- Landry GJ (*see* Liem et al). 2007;45:922-8
- Lang W (*see* Horch et al). 2007;45:837-40 (Case rep.)
- Langan III EM (*see* Taylor et al). 2007;45:304-11
- Lau LL (*see* O'Donnell et al). 2007;45:694-700
- Laurila K, Lepäntalo M. Reply. 2007;45:1091 (Letter)
- Lawlor DK (*see* Faizer et al). 2007;45:1102-8
- Lawrence PF (*see* Jimenez et al). 2007;45:549-53
- Lax J (*see* Assadian et al). 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)
- Lazarides MK, Georgiadis GS, Antoniou GA, Stamos DN. A meta-analysis of dialysis access outcome in elderly patients. 2007;45:420-6 (Review article)
- Lebrun JM (*see* González et al). 2007;45:180-2 (Case rep.)
- Lee AJ (*see* Currie et al). 2007;45:733-9
- Lee B (*see* O'Donnell et al). 2007;45:399-403 (Case rep.)
- Lee B. Regarding "Massive spouting bleeding from chronic stasis ulceration caused by arteriovenous communication of the lower extremity". 2007;45:641 (Letter)
- Lee DE (*see* Bakken et al). 2007;45:776-83
- Lee ES (*see* Dawson et al). 2007;45:149-54
- Lee JT (*see* Benharash et al). 2007;45:250-7
- Lee WA, Brown MP, Nelson PR, Huber TS. Total percutaneous access for endovascular aortic aneurysm repair ("Preclose" technique). 2007;45:1095-1101
- Lee WA (*see* Feezor et al). 2007;45:86-9
- Lee W (*see* Chung et al). 2007;45:906-14
- Leftheriotis G (*see* Jaquinandi et al). 2007;45:312-8
- Leicht A (*see* Golledge et al). 2007;45:40-6
- Leicht AS (*see* Crowther et al). 2007;45:1172-8 (From the Midwestern Vascular Surgical Society)
- Leiner T (*see* Nijenhuis et al). 2007;45:677-85
- Lenti M, Cieri E, De Rango P, Pozzilli P, Coscarella C, Bertoglio C, Troiani R, Cao P. Endovascular treatment of long lesions of the superficial femoral artery: Results from a multicenter registry of a spiral, covered polytetrafluoroethylene stent. 2007;45:32-9
- Leonard AC (*see* Horner et al). 2007;45:124-9

- Leon, Jr LR (*see* Bhatti et al). 2007;45:199-205 (Review article)
- Leon, Jr LR, Mills JL, Psalms SB, Goshima K, Duong ST, Ukutu C. A novel hybrid approach to the treatment of common iliac aneurysms: Antegrade endovascular hypogastric stent grafting and femorofemoral bypass grafting. 2007;45:1244-8 (Case rep.)
- Lepäntalo M (*see* Laurila et al). 2007;45:1091 (Letter)
- Lerouge S (*see* Darsaut et al). 2007;45:1228-35 (Basic research studies)
- Li Z, Howarth SPS, Tang T, Graves MJ, U-King-Im J, Trivedi RA, Kirkpatrick PJ, Gillard JH. Structural analysis and magnetic resonance imaging predict plaque vulnerability: A study comparing symptomatic and asymptomatic individuals. 2007;45:768-75
- Liem TK, Segall JA, Wei W, Landry GJ, Taylor LM, Moneta GL. Duplex scan characteristics of bypass grafts to mesenteric arteries. 2007;45:922-8
- Lin JC (*see* Kakkos et al). 2007;45:974-80
- Lin J (*see* Owens et al). 2007;45:944-52
- Lin PH (*see* Bush et al). 2007;45:227-34
- Lin SC (*see* Lam et al). 2007;45:875-80
- Liu B, Ryer EJ, Kundi R, Kamiya K, Itoh H, Faries PL, Sakakibara K, Kent KC. Protein kinase C- δ regulates migration and proliferation of vascular smooth muscle cells through the extracellular signal-regulated kinase 1/2. 2007;45:160-8 (Basic research studies)
- Lloyd GM (*see* Middleton et al). 2007;45:574-80 (Basic research studies)
- Loftus I (*see* Dawson et al). 2007;45:350-6 (Basic research studies)
- Logerfo F (*see* Owens et al). 2007;45:2-8
- LoGerfo FW (*see* Monahan et al). 2007;45:581-9 (Basic research studies)
- Lohr JM (*see* McLafferty et al). 2007;45:142-8
- London NJ (*see* Middleton et al). 2007;45:574-80 (Basic research studies)
- London NJM (*see* Karkos et al). 2007;45:1148-54 (From the Midwestern Vascular Surgical Society)
- Lookstein RA (*see* Baril et al). 2007;45:915-21
- Luccia ND (*see* Albers et al). 2007;45:536-42
- Luirink M (*see* van Hoek et al). 2007;45:968-73
- Lumsden AB (*see* Bush et al). 2007;45:227-34
- Lynch TG, Pipinos II. Invited Commentary. 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)

M

- Ma M (*see* Chan et al). 2007;45:804-11 (Basic research studies)
- MacKenzie KS (*see* Iyer et al). 2007;45:600-2 (Case rep.)
- Mackenzie TA (*see* Duong et al). 2007;45:284-8
- MacRae HM (*see* Sidhu et al). 2007;45:343-9
- Magishi K, Izumi Y, Tanaka K, Shimizu N, Uchida D. Surgical access of the gluteal artery to embolize a previously excluded, expanding internal iliac artery aneurysm. 2007;45:387-90 (Case rep.)
- Mahathanaruk M (*see* Vasquez et al). 2007;45:1008-15
- Major K (*see* Chao et al). 2007;45:451-60
- Makaroun MS (*see* Barbato et al). 2007;45:667-76
- Makaroun MS (*see* Peterson et al). 2007;45:885-90
- Mali WPT M. (*see* Van Laar et al). 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
- Manalo D (*see* Labropoulos et al). 2007;45:568-73
- Mannava K (*see* Tonnessen et al). 2007;45:177-9 (Case rep.)
- Manolio TA (*see* Aboyans et al). 2007;45:319-27
- Manshani N (*see* O'Donnell et al). 2007;45:399-403 (Case rep.)
- Mansueto G, Cenzi D, Scuro A, Gottin L, Griso A, Gumbs AA, Mucelli RP. Treatment of type II endoleak with a transcatheter transcaval approach: Results at 1-year follow-up. 2007;45:1120-7 (From the Midwestern Vascular Surgical Society)
- Marani I (*see* Hartung et al). 2007;45:1062-5 (Case rep.)
- Marin ML (*see* Baril et al). 2007;45:915-21
- Markose G (*see* Karkos et al). 2007;45:404-7 (Case rep.)
- Marks NA (*see* Ascher et al). 2007;45:17-24
- Markwell SJ (*see* McLafferty et al). 2007;45:142-8
- Marone EM (*see* Chiesa et al). 2007;45:1128-35 (From the Midwestern Vascular Surgical Society)
- Marotta V (*see* Regina et al). 2007;45:391-4 (Case rep.)
- Marrocco-Trischitta MM, Kahlberg A, Calliari F, Chiesa R. Bilateral aneurysm of the inferior thyroid artery. 2007;45:614
- Marrocco-Trischitta MM, Melissano G, Kahlberg A, Setacci F, Segreti S, Spelta S, Chiesa R. Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair. 2007;45:481-6
- Marshall T (*see* Hobbs et al). 2007;45:66-69
- Marston WA (*see* Riesenman et al). 2007;45:90-5
- Martin TD (*see* Feezor et al). 2007;45:86-9
- Massimiano P (*see* Hashemi et al). 2007;45:607-9 (Case rep.)
- Mastracci TM, Cinà CS. Screening for abdominal aortic aneurysm in Canada: Review and position statement of the Canadian Society for Vascular Surgery. 2007;45:1268-76 (Review article)
- Matros E (*see* Owens et al). 2007;45:944-52
- Matsumura JS (*see* Peterson et al). 2007;45:885-90
- McCarthy MJ (*see* Dunmore et al). 2007;45:155-9 (Basic research studies)
- McCarthy MJ (*see* Karkos et al). 2007;45:1148-54 (From the Midwestern Vascular Surgical Society)
- McCarthy WJ, Valentino LA, Bonilla AS, Goncharova I, Taylor A, Pooley TA, Jacobs CE. Arteriovenous fistula for long-term venous access for boys with hemophilia. 2007;45:986-91
- McCaughy C (*see* O'Donnell et al). 2007;45:399-403 (Case rep.)
- McClelland RL (*see* Aboyans et al). 2007;45:319-27
- McCready RA, Bryant MA, Divelbiss JL, Chess BA. Subclavian venous aneurysm: Case report and review of the literature. 2007;45:1080-2 (Case rep.)
- McCready RA, Bryant MA, Fehrenbacher JW, Rowe MG. Infected splenic artery aneurysm with associated splenic abscess formation secondary to bacterial endocarditis: Case report and review of the literature. 2007;45:1066-8 (Case rep.)
- McCullough LB (*see* Jones et al). 2007;45:214-16 (Surgical ethics challenges), 433-5, 635-6, 858-60, 1084-5, 1282-4
- McDermott MM (*see* Aboyans et al). 2007;45:319-27
- McGirt MJ (*see* Brooke et al). 2007;45:298-303
- McLafferty RB, Lohr JM, Caprini JA, Passman MA, Padberg FT, Rooke TW, Bush RL, Zakaria AA, Flinn WR, Eklof BG, Dalsing MC, Markwell SJ, Wakefield TW. Results of the National Pilot Screening Program for Venous Disease by the American Venous Forum. 2007;45:142-8
- McLafferty RB, Pryor III RW, Johnson CM, Ramsey DE, Hodgson KJ. Outcome of a comprehensive follow-up program to enhance maturation of autogenous arteriovenous hemodialysis access. 2007;45:981-5
- McMahon G (*see* Karkos et al). 2007;45:1148-54 (From the Midwestern Vascular Surgical Society)
- McMahon GS (*see* Karkos et al). 2007;45:404-7 (Case rep.)
- McNamara TO (*see* Nehler et al). 2007;45:953-61

- McPhee JT, Hill JS, Eslami MH. The impact of gender on presentation, therapy, and mortality of abdominal aortic aneurysm in the United States, 2001-2004. 2007;45:891-9
- Meissner OA (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)
- Meixner-Loicht U (*see* Assadian et al). 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)
- Melissano G (*see* Chiesa et al). 2007;45:1128-35 (From the Midwestern Vascular Surgical Society)
- Melissano G (*see* Marrocco-Trischitta et al). 2007;45:481-6
- Mell M (*see* Tefera et al). 2007;45:1114-9 (From the Midwestern Vascular Surgical Society)
- Mell M, Tefera G, Thornton F, Siepmann D, Turnipseed W. Clinical utility of time-resolved imaging of contrast kinetics (TRICKS) magnetic resonance angiography for infrageniculate arterial occlusive disease. 2007;45:543-8
- Mendes RR (*see* Riesenman et al). 2007;45:90-5
- Meneghetti G (*see* Ballotta et al). 2007;45:516-22
- Merino OA (*see* Curi et al). 2007;45:505-10
- Meyer J (*see* Dawson et al). 2007;45:149-54
- Middleton D (*see* Badger et al). 2007;45:475-80
- Middleton RK, Lloyd GM, Bown MJ, Cooper NJ, London NJ, Sayers RD. The pro-inflammatory and chemotactic cytokine microenvironment of the abdominal aortic aneurysm wall: A protein array study. 2007;45:574-80 (Basic research studies)
- Milic DJ, Jovanovic MM, Zivic SS, Jankovic RJ. Coiling of the left common carotid artery as a cause of transient ischemic attacks. 2007;45:411-3 (Case rep.)
- Militello C (*see* Ballotta et al). 2007;45:516-22
- Miller BL (*see* Jiang et al). 2007;45:169-76 (Basic research studies)
- Miller MT, Comerota AJ, DiSalle R, Kaufman A, Pigott JP. Endoluminal embolization and revascularization for complicated mesenteric pseudoaneurysms: A report of two cases and a literature review. 2007;45:381-86 (Case rep.)
- Miller MT (*see* Chahwan et al). 2007;45:523-6
- Mills JL (*see* Leon, Jr et al). 2007;45:1244-8 (Case rep.)
- Mills JL. A comparison of percutaneous transluminal angioplasty versus amputation for critical limb ischemia in patients unsuitable for open surgery. 2007;45:310-1 (Invited commentary)
- Miyauchi T (*see* Shimabukuro et al). 2007;45:1083
- Moaine S (*see* Neschis et al). 2007;45:487-92
- Moczulski Z (*see* Przewlocki et al). 2007;45:1072-5 (Case rep.)
- Modrall GJ (*see* Yau et al). 2007;45:96-100
- Molina JE, Hunter DW, Dietz CA. Paget-Schroetter syndrome treated with thrombolytics and immediate surgery. 2007;45:328-34
- Moll FL (*see* de Borst et al). 2007;45:118-23
- Moll FL (*see* Hellings et al). 2007;45:289-97
- Moll FL (*see* Huijbregts et al). 2007;45:962-7
- Moll FL (*see* Van Laar et al). 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
- Monahan TS, Andersen ND, Panossian H, Kalish JA, Daniel S, Shrikhande GV, Ferran C, LoGerfo FW. A novel function for cadherin 11/osteoblast-cadherin in vascular smooth muscle cells: Modulation of cell migration and proliferation. 2007;45:581-9 (Basic research studies)
- Moneta GL (*see* Liem et al). 2007;45:922-8
- Money SR (*see* Tonnessen et al). 2007;45:177-9 (Case rep.)
- Moore R, Nutley M, Cina CS, Motamedi M, Faris P, Abuznadah W. Improved survival after introduction of an emergency endovascular therapy protocol for ruptured abdominal aortic aneurysms. 2007;45:443-50
- Mori T (*see* Ohta et al). 2007;45:866 (Letter)
- Morita S (*see* Tatewaki et al). 2007;45:1236-43 (Basic research studies)
- Moser GW (*see* Jackson et al). 2007;45:662-66
- Motamedi M (*see* Moore et al). 2007;45:443-50
- Motyl R (*see* Przewlocki et al). 2007;45:1072-5 (Case rep.)
- Mucelli RP (*see* Mansueto et al). 2007;45:1120-7 (From the Midwestern Vascular Surgical Society)
- Muhs BE, Balm R, White GH, Verhagen HJM. Anatomic factors associated with acute endograft collapse after Gore TAG treatment of thoracic aortic dissection or traumatic rupture. 2007;45:655-61
- Muhs BE (*see* Hobeika et al). 2007;45:849-57 (Review article)
- Mukherjee D (*see* Hashemi et al). 2007;45:607-9 (Case rep.)
- Munia MAS, Wolosker N, Kauffman P, de Campos JR, Puech-Leão P. A randomized trial of T3-T4 versus T4 sympathectomy for isolated axillary hyperhidrosis. 2007;45:130-3
- Munschaur C (*see* Kedora et al). 2007;45:10-6
- Murphy M (*see* Altaf et al). 2007;45:641 (Letter)
- Mwipatayi BP (*see* Valibhoy et al). 2007;45:603-6 (Case rep.)
- Myers DJ (*see* Myers et al). 2007;45:357-66 (Basic research studies)
- Myers SI, Wang L, Myers DJ. Loss of renal function and microvascular blood flow after suprarenal aortic clamping and reperfusion (SPACR) above the superior mesenteric artery is greatly augmented compared with SPACR above the renal arteries. 2007;45:357-66 (Basic research studies)
- Myers SI. Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery. 2007;45:9 (Invited commentary)

N

- Nally JV (*see* Kashyap et al). 2007;45:101-7
- Naylor AR (*see* Dunmore et al). 2007;45:155-9 (Basic research studies)
- Naylor AR (*see* Karkos et al). 2007;45:404-7 (Case rep.), 1148-54
- Naylor AR. Gender-associated differences in plaque phenotype of patients undergoing carotid endarterectomy. 2007;45:296-7 (Invited commentary)
- Naylor AR. Regarding "Protected carotid stenting in high-surgical-risk patients: The ARCHEr results". 2007;45:222 (Letter)
- Nehler MR, Brass EP, Anthony R, Dormandy J, Jiao J, McNamara TO, Hiatt W R. Adjunctive parenteral therapy with lipo-ecraprost, a prostaglandin E₁ analog, in patients with critical limb ischemia undergoing distal revascularization does not improve 6-month outcomes. 2007;45:953-61
- Nelson EA, Prescott RJ, Harper DR, Gibson B, Brown D, Ruckley CV. A factorial, randomized trial of pentoxifylline or placebo, four-layer or single-layer compression, and knitted viscose or hydrocolloid dressings for venous ulcers. 2007;45:134-41
- Nelson PR (*see* Feezor et al). 2007;45:86-9
- Nelson PR (*see* Lee et al). 2007;45:1095-1101
- Neradilek B (*see* Gibson et al). 2007;45:795-803
- Neschis DG, Moaine S, Gutta R, Charles K, Scalea TM, Flinn WR, Griffith BP. Twenty consecutive cases of endograft repair of traumatic aortic disruption: Lessons learned. 2007;45:487-92
- Nicolaï SP (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
- Nijenhuis RJ, Jacobs MJ, Jaspers K, Reijnders M, van Engelshoven JMA, Leiner T, Backes WH. Comparison of magnetic resonance with computed tomography angiography for preoperative localization of the Adamkiewicz artery in thoracoabdominal aortic aneurysm patients. 2007;45:677-85
- Nijenhuis RJ, Jacobs MJ, Schurink GW, Kessels AGH, En-

- gelshoven JMA van, Backes WH. Magnetic resonance angiography and neuromonitoring to assess spinal cord blood supply in thoracic and thoracoabdominal aortic aneurysm surgery. 2007;45:71-8
- Nilsson TK (*see* Wanhainen et al). 2007;45:1109-13
- Nishida T (*see* Tatewaki et al). 2007;45:1236-43 (Basic research studies)
- Nishimoto I (*see* Albers et al). 2007;45:536-42
- Nishiyama M (*see* Unno et al). 2007;45:1016-21
- Noel AA (*see* Huang et al). 2007;45:706-14
- Nolan B, Finlayson S, Tosteson A, Powell R, Cronenwett J. The treatment of disabling intermittent claudication in patients with superficial femoral artery occlusive disease—Decision analysis. 2007;45:1179-84 (From the New England Society For Vascular Surgery)
- Nolan BW (*see* Wyers et al). 2007;45:269-75
- Nutley M (*see* Moore et al). 2007;45:443-50
- Nypaver TJ (*see* Kakkos et al). 2007;45:974-80

O

- O'Connor SA, Andrew P. Regarding "InterGard silver bifurcated graft: Features and results of a multicenter study". 2007;45:224 (Letter)
- O'Donnell ME, Manshani N, McCaughey C, Soong C, Lee B. *Coxiella burnetii*: infection of an aortic graft with multiple vertebral body erosion. 2007;45:399-403 (Case rep.)
- O'Donnell ME (*see* Badger et al). 2007;45:475-80
- Ohki T, Ouriel K, Silveira PG, Katzen B, White R, Criado F, Diethrich E. Initial results of wireless pressure sensing for endovascular aneurysm repair: The APEX Trial—Acute Pressure Measurement to Confirm Aneurysm Sac EXclusion. 2007;45:236-42
- Ohta N, Kuratani T, Mori T. Vocal cord paralysis after aortic arch surgery with stent-graft placement, a contemporary method of arch surgery. 2007;45:866 (Letter)
- Ohtani N (*see* Kadohama et al). 2007;45:1069-71 (Case rep.)
- Okcu-Heper A (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
- Oldenburg WA (*see* Falkensammer et al). 2007;45:900-5
- Oldenburg WA (*see* Hugl et al). 2007;45:1259-61 (Case rep.)
- Olijhoek JK (*see* Goessens et al). 2007;45:47-54
- O'Regan DJ (*see* Turner et al). 2007;45:1022-9 (Basic research studies)
- Ouriel K (*see* Kashyap et al). 2007;45:101-7
- Ouriel K (*see* Ohki et al). 2007;45:236-42
- Ouriel K (*see* Tulsyan et al). 2007;45:276-83
- Overtom TT (*see* de Borst et al). 2007;45:118-23
- Owens CD, Ho KJ, Kim S, Schanzer A, Lin J, Matros E, Belkin M, Conte MS. Refinement of survival prediction in patients undergoing lower extremity bypass surgery: Stratification by chronic kidney disease classification. 2007;45:944-52
- Owens CD (*see* Schanzer et al). 2007;45:740-3
- Owens CD, Ridker PM, Belkin M, Hamdan AD, Pomposelli F, Logerfo F, Creager MA, Conte MS. Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery. 2007;45:2-8
- O'Donnell ME, Sun Z, Winder RJ, Ellis PK, Lau LL, Blair PH. Suprarenal fixation of endovascular aortic stent grafts: Assessment of medium-term to long-term renal function by analysis of juxtarenal stent morphology. 2007;45:694-700
- Ozaki CK (*see* Jiang et al). 2007;45:169-76 (Basic research studies)
- Oziş E (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
- Ozulku M (*see* Ersozlu et al). 2007;45:408-10 (Case rep.)

P

- Padberg FT (*see* McLafferty et al). 2007;45:142-8
- Padberg, Jr FT (*see* Abai et al). 2007;45:610-3 (Case rep.)
- Pan XM (*see* Rapp et al). 2007;45:867-74
- Panossian H (*see* Monahan et al). 2007;45:581-9 (Basic research studies)
- Papapetrou A (*see* Klonaris et al). 2007;45:498-504
- Pappas PJ (*see* Abai et al). 2007;45:610-3 (Case rep.)
- Parag V (*see* Jull et al). 2007;45:1092 (Letter)
- Park J (*see* Sidhu et al). 2007;45:343-9
- Park JH (*see* Chung et al). 2007;45:906-14
- Parodi JC, Ferreira LM, Faella H, La Mura R, Ruslender E, Henestroza G. Use of covered stents and endograft as a rescue treatment in a patient with a complex form of recurrent aortic coarctation. 2007;45:1263-7 (Tech. Note)
- Parry DJ (*see* Dickinson et al). 2007;45:1253-5 (Case rep.)
- Passman MA (*see* McLafferty et al). 2007;45:142-8
- Pasterkamp G (*see* Hellings et al). 2007;45:289-97
- Patel K (*see* Chao et al). 2007;45:451-60
- Patel N (*see* Protack et al). 2007;45:992-7
- Patel NP (*see* Labropoulos et al). 2007;45:568-73
- Patterson MA (*see* Vaddinani et al). 2007;45:467-71
- Paty PSK (*see* Kreienberg et al). 2007;45:929-35
- Paz-Fumagalli R (*see* Falkensammer et al). 2007;45:900-5
- Peck MA, Clouse WD, Cox MW, Bowser AN, Eliason JL, Jenkins DH, Smith DL, Rasmussen TE. The complete management of extremity vascular injury in a local population: A wartime report from the 332nd Expeditionary Medical Group/Air Force Theater Hospital, Balad Air Base, Iraq. 2007;45:1197-205 (From the New England Society For Vascular Surgery)
- Peeters AC, van Landeghem BA, Graafsmas SJ, Kranendonk SE, Hermus AR, Blom HJ, den Heijer M. Low vitamin B6, and not plasma homocysteine concentration, as risk factor for abdominal aortic aneurysm: A retrospective case-control study. 2007;45:701-5
- Pepper D (*see* Gibson et al). 2007;45:795-803
- Pereira CAB (*see* Albers et al). 2007;45:536-42
- Perler BA (*see* Brooke et al). 2007;45:298-303
- Perler BA. When I grow up, I want to be successful like daddy: I just don't want to be a doctor. 2007;45:627-34 (Presidential address)
- Persellin ST (*see* Hugl et al). 2007;45:1259-61 (Case rep.)
- Persson E (*see* Sigvant et al). 2007;45:1185-91 (From the New England Society For Vascular Surgery)
- Peterson BG, Matsumura JS, Brewster DC, Makaroun MS. Five-year report of a multicenter controlled clinical trial of open versus endovascular treatment of abdominal aortic aneurysms. 2007;45:885-90
- Pevac WC (*see* Dawson et al). 2007;45:149-54
- Piano G, Ketteler ER, Prachand V, DeValck E, Van Ha TG, Gewertz BL, Alverdy JC. Safety, feasibility, and outcome of retrievable vena cava filters in high-risk surgical patients. 2007;45:784-8
- Picquet J (*see* Jaquinandi et al). 2007;45:312-8
- Pieniazek P (*see* Przewlocki et al). 2007;45:1072-5 (Case rep.)
- Pieracci FM (*see* DeRubertis et al). 2007;45:716-25
- Pierce G (*see* Tulsyan et al). 2007;45:276-83
- Pigott JP (*see* Chahwan et al). 2007;45:258-62, 523-6
- Pigott JP (*see* Miller et al). 2007;45:381-86 (Case rep.)
- Pinter L, Cagiannos C, Ruzsa Z, Bakoyiannis C, Kolvenbach R. Report on initial experience with transradial access for carotid artery stenting. 2007;45:1136-41 (From the Midwestern Vascular Surgical Society)

- Pipinos II (*see* Lynch et al). 2007;45:1142-7 (From the Midwestern Vascular Surgical Society)
- Pochettino A (*see* Jackson et al). 2007;45:662-66
- Poggio ED (*see* Kashyap et al). 2007;45:101-7
- Poldermans D (*see* Feringa et al). 2007;45:936-43
- Polissar N (*see* Gibson et al). 2007;45:795-803
- Pompilio G (*see* Spirito et al). 2007;45:1076-9 (Case rep.)
- Pomposelli F (*see* Owens et al). 2007;45:2-8
- Pooley TA (*see* McCarthy et al). 2007;45:986-91
- Porter KE (*see* Turner et al). 2007;45:1022-9 (Basic research studies)
- Potenza B (*see* Deree et al). 2007;45:493-7
- Powell R (*see* Nolan et al). 2007;45:1179-84 (From the New England Society For Vascular Surgery)
- Powell RJ (*see* Wyers et al). 2007;45:269-75
- Pozzilli P (*see* Lenti et al). 2007;45:32-9
- Prachand V (*see* Piano et al). 2007;45:784-8
- Prescott RJ (*see* Nelson et al). 2007;45:134-41
- Prins MH (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
- Proebstle TM. Regarding "Reduced recanalization rates of the great saphenous vein after endovenous laser treatment with increase energy dosing: Definition of a threshold for the endovenous fluence equivalent". 2007;45:865 (Letter reply)
- Protack CD, Bakken AM, Patel N, Saad WE, Waldman DL, Davies MG. Long-term outcomes of catheter directed thrombolysis for lower extremity deep venous thrombosis without prophylactic inferior vena cava filter placement. 2007;45:992-7
- Protack CD, Bakken AM, Saad WA, Illig KA, Waldman DL, Davies MG. Radiation arteritis: A contraindication to carotid stenting? 2007;45:110-7
- Protack CD (*see* Bakken et al). 2007;45:776-83
- Pryor L (*see* Labropoulos et al). 2007;45:568-73
- Pryor III RW (*see* McLafferty et al). 2007;45:981-5
- Przewlocki T, Pieniazek P, Kablak-Ziembicka A, Motyl R, Moczułski Z, Tracz W. Subarachnoid hemorrhage after carotid artery stenting. 2007;45:1072-5 (Case rep.)
- Psalmis SB (*see* Bhatti et al). 2007;45:199-205 (Review article)
- Psalmis SB (*see* Leon, Jr et al). 2007;45:1244-8 (Case rep.)
- Puech-Leão P (*see* Munia et al). 2007;45:130-3

Q

- Quigley F (*see* Crowther et al). 2007;45:1172-8 (From the Midwestern Vascular Surgical Society)
- Quigley F (*see* Golledge et al). 2007;45:40-6
- Quinones-Baldrich WJ (*see* Jimenez et al). 2007;45:549-53

R

- Raaymakers LCJ (*see* van Hoek et al). 2007;45:968-73
- Raffetto JD, Ross RL, Khalil RA. Matrix metalloproteinase 2-induced venous dilation via hyperpolarization and activation of K⁺ channels: Relevance to varicose vein formation. 2007;45:373-80 (Basic research studies)
- Ramelet A (*see* Kern et al). 2007;45:1212-16 (From the New England Society For Vascular Surgery)
- Ramsey DE (*see* McLafferty et al). 2007;45:981-5
- Rao NM (*see* Sanders et al). 2007;45:1206-11 (From the New England Society For Vascular Surgery)
- Rapp J (*see* Hiramoto et al). 2007;45:472-4
- Rapp JH (*see* Hiramoto et al). 2007;45:461-65
- Rapp JH, Wakil L, Sawhney R, Pan XM, Yenari MA, Glastonbury C, Coogan S, Wintermark M. Subclinical embolization after carotid artery stenting: New lesions on diffusion-weighted

- magnetic resonance imaging occur postprocedure. 2007;45:867-74
- Rasmussen TE (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)
- Rattunde H (*see* Diehm et al). 2007;45:263-8
- Raymond J (*see* Darsaut et al). 2007;45:1228-35 (Basic research studies)
- Rectenwald JR (*see* Gangireddy et al). 2007;45:335-42
- Reddy DJ (*see* Kakkos et al). 2007;45:974-80
- Redmond HP (*see* Killeen et al). 2007;45:615-26 (Review article)
- Reed AB (*see* Hutto et al). 2007;45:188-90 (Case rep.)
- Regina G, Bortone A, Impedovo G, De Cillis E, Angiletta D, Marotta V. Endovascular repair of thoracic stent graft bulging rupture in a patient with multiple thoracic aneurysms due to Takayasu disease. 2007;45:391-4 (Case rep.)
- Reijnders M (*see* Nijenhuis et al). 2007;45:677-85
- Reilly LM (*see* Hiramoto et al). 2007;45:461-65, 472-4
- Rhee RY (*see* Barbato et al). 2007;45:667-76
- Ricco J. Regarding "InterGard silver bifurcated graft: Features and results of a multicenter study". 2007;45:224 (Letter reply)
- Richards T (*see* Altaf et al). 2007;45:641 (Letter)
- Ridker PM (*see* Owens et al). 2007;45:2-8
- Riesenman PJ, Farber MA, Mendes RR, Marston WA, Fulton JJ, Keagy BA. Coverage of the left subclavian artery during thoracic endovascular aortic repair. 2007;45:90-5
- Rigberg DA (*see* Jimenez et al). 2007;45:549-53
- Rixen DJ (*see* Hinnen et al). 2007;45:812-6 (Basic research studies)
- Robb JF (*see* Duong et al). 2007;45:284-8
- Robinson DA (*see* Adam et al). 2007;45:183-5 (Case rep.)
- Rockman C. Regarding "Early carotid endarterectomy in symptomatic patients is associated with poorer perioperative outcomes". 2007;45:641 (Letter reply)
- Roddy SP (*see* Kreienberg et al). 2007;45:929-35
- Rodriguez H (*see* Bhatti et al). 2007;45:199-205 (Review article)
- Rolandsson O (*see* Sigvant et al). 2007;45:1185-91 (From the New England Society For Vascular Surgery)
- Romiti M (*see* Albers et al). 2007;45:536-42
- Rooke TW (*see* Delis et al). 2007;45:561-7
- Rooke TW (*see* McLafferty et al). 2007;45:142-8
- Roseborough GS (*see* Brooke et al). 2007;45:298-303
- Rosenthal D (*see* Lai et al). 2007;45:191
- Rosero EB (*see* Yau et al). 2007;45:96-100
- Ross RL (*see* Raffetto et al). 2007;45:373-80 (Basic research studies)
- Rowe MG (*see* McCready et al). 2007;45:1066-8 (Case rep.)
- Rowe VL (*see* Chao et al). 2007;45:451-60
- Rubin BG (*see* Curi et al). 2007;45:505-10
- Rubinas TL (*see* Bhatti et al). 2007;45:199-205 (Review article)
- Ruby BJ, Cogbill TH. Aortoduodenal fistula 5 years after endovascular abdominal aortic aneurysm repair with the Ancure stent graft. 2007;45:834-6 (Case rep.)
- Rückert RI (*see* Tsilimparis et al). 2007;45:1249-52 (Case rep.)
- Ruckley CV (*see* Nelson et al). 2007;45:134-41
- Ruppert V (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)
- Ruslender E (*see* Parodi et al). 2007;45:1263-7 (Tech. Note)
- Russell DA, Wijeyaratne SM, Gough MJ. Changes in carotid plaque echomorphology with time since a neurologic event. 2007;45:367-72 (Basic research studies)
- Ruzsa Z (*see* Pinter et al). 2007;45:1136-41 (From the Midwestern Vascular Surgical Society)
- Ryer EJ (*see* Liu et al). 2007;45:160-8 (Basic research studies)

Ryschich E (*see* Zhang et al). 2007;45:1039-46 (Basic research studies)

S

Saad WA (*see* Protack et al). 2007;45:110-7

Saad WE (*see* Bakken et al). 2007;45:776-83

Saad WE (*see* Protack et al). 2007;45:992-7

Sadeghi-Azandaryani M (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)

Sagara D (*see* Unno et al). 2007;45:1016-21

Sakakibara K (*see* Liu et al). 2007;45:160-8 (Basic research studies)

Salazkin I (*see* Darsaut et al). 2007;45:1228-35 (Basic research studies)

Sanchez LA (*see* Curi et al). 2007;45:505-10

Sanders RJ, Rao NM. Pectoralis minor obstruction of the axillary vein: Report of six patients. 2007;45:1206-11 (From the New England Society For Vascular Surgery)

Sandoe JA (*see* Dickinson et al). 2007;45:1253-5 (Case rep.)

Sarac TP (*see* Tulsyan et al). 2007;45:276-83

Saran A (*see* Hartung et al). 2007;45:1062-5 (Case rep.)

Sasajima T (*see* Kadohama et al). 2007;45:1069-71 (Case rep.)

Saumet, J (*see* Jaquinandi et al). 2007;45:312-8

Savitcheva I (*see* Tegler et al). 2007;45:828-30 (Case rep.)

Sawhney R (*see* Rapp et al). 2007;45:867-74

Sayers RD (*see* Karkos et al). 2007;45:404-7 (Case rep.), 1148-54

Sayers RD (*see* Middleton et al). 2007;45:574-80 (Basic research studies)

Scalea TM (*see* Neschis et al). 2007;45:487-92

Schanzer A (*see* Owens et al). 2007;45:944-52

Schanzer A, Owens CD, Conte MS, Belkin M. Superficial femoral artery percutaneous intervention is an effective strategy to optimize inflow for distal origin bypass grafts. 2007;45:740-3

Scheltinga MRM (*see* van Hoek et al). 2007;45:968-73

Scheuermann BW (*see* Chahwan et al). 2007;45:258-62

Schmedt C, Meissner OA, Hunger K, Babaryka G, Ruppert V, Sadeghi-Azandaryani M, Steckmeier BM, Sroka R. Evaluation of endovenous radiofrequency ablation and laser therapy with endoluminal optical coherence tomography in an ex vivo model. 2007;45:1047-58 (Basic research studies)

Schmidli J (*see* Dick et al). 2007;45:751-61

Schmidli J (*see* Diehm et al). 2007;45:263-8

Schmidli J (*see* Schoenhoff et al). 2007;45:597-9 (Case rep.)

Schmidt J (*see* Zhang et al). 2007;45:1039-46 (Basic research studies)

Schneck M (*see* Bhatti et al). 2007;45:199-205 (Review article)

Schneider CG, Kortmann H. Pseudoaneurysm of the common carotid artery due to ongoing trauma from the hyoid bone. 2007;45:186-7 (Case rep.)

Schneider DB (*see* Hiramoto et al). 2007;45:461-65, 472-4

Schoenhoff FS, Schmidli J, Eckstein FS, Berdat PA, Immer FF, Carrel TP. The frozen elephant trunk: An interesting hybrid endovascular-surgical technique to treat complex pathologies of the thoracic aorta. 2007;45:597-9 (Case rep.)

Schouten O (*see* Feringa et al). 2007;45:936-43

Schumacher H (*see* Zhang et al). 2007;45:1039-46 (Basic research studies)

Schurink GW (*see* Nijenhuis et al). 2007;45:71-8

Schwarten DE (*see* Dubé et al). 2007;45:821-7 (Basic research studies)

Schwartz LB (*see* Dubé et al). 2007;45:821-7 (Basic research studies)

Scuro A (*see* Mansueto et al). 2007;45:1120-7 (From the Midwestern Vascular Surgical Society)

Seeger, MD, Editors JM (*see* Cronenwett et al). 2007;45:1 (Surgical ethics challenges)

Seeger JM (*see* Feezor et al). 2007;45:86-9

Segall JA (*see* Liem et al). 2007;45:922-8

Segreti S (*see* Marrocco-Trischitta et al). 2007;45:481-6

Seldenrijk KA (*see* Hellings et al). 2007;45:289-97

Sepulveda RN (*see* Kashyap et al). 2007;45:101-7

Setacci F (*see* Chiesa et al). 2007;45:1128-35 (From the Midwestern Vascular Surgical Society)

Setacci F (*see* Marrocco-Trischitta et al). 2007;45:481-6

Shames ML (*see* Keeling et al). 2007;45:25-31

Shenvi E (*see* Deree et al). 2007;45:493-7

Shepard AD (*see* Kakkos et al). 2007;45:974-80

Shimabukuro K, Miyauchi T, Takemura H. Rupture of left common iliac artery aneurysm. 2007;45:1083

Shimizu N (*see* Magishi et al). 2007;45:387-90 (Case rep.)

Shrikhande GV (*see* Monahan et al). 2007;45:581-9 (Basic research studies)

Shukla A (*see* Jiang et al). 2007;45:169-76 (Basic research studies)

Sicard GA (*see* Curi et al). 2007;45:505-10

Sicard GA. Performance of endovascular aortic aneurysm repair in high-risk patients: Results from the Veterans Affairs National Surgical Quality Improvement Program. 2007;45:234-5 (Invited commentary)

Sidhu RS, Park J, Brydges R, MacRae HM, Dubrowski A. Laboratory-based vascular anastomosis training: A randomized controlled trial evaluating the effects of bench model fidelity and level of training on skill acquisition. 2007;45:343-9

Siepmann D (*see* Mell et al). 2007;45:543-8

Sieunarine K (*see* Valibhoy et al). 2007;45:603-6 (Case rep.)

Sigvant B, Wiberg-Hedman K, Bergqvist D, Rolandsson O, Andersson B, Persson E, Wahlberg E. A population based study of peripheral arterial disease prevalence with special focus on critical limb ischemia and sex differences. 2007;45:1185-91 (From the New England Society For Vascular Surgery)

Silveira PG (*see* Ohki et al). 2007;45:236-42

Sivamurthy N (*see* Hiramoto et al). 2007;45:461-65

Skorobogaty H (*see* Hiramoto et al). 2007;45:472-4

Slovut DP, DeMaoribus CA, Konda S. Type B aortic dissection and left renal artery stenosis treated with a thoracic endoprosthesis. 2007;45:414

Smith DL (*see* Peck et al). 2007;45:1197-205 (From the New England Society For Vascular Surgery)

Smith ST, Clagett GP, Arko FR. Endovascular conversion with femorofemoral bypass as a treatment of endotension and aneurysm sac enlargement. 2007;45:395-8 (Case rep.)

Sohn V (*see* Arthurs et al). 2007;45:726-32

Soong C (*see* O'Donnell et al). 2007;45:399-403 (Case rep.)

Soong CV (*see* Badger et al). 2007;45:475-80

Sörensen J (*see* Tegler et al). 2007;45:828-30 (Case rep.)

Soulez G (*see* Darsaut et al). 2007;45:1228-35 (Basic research studies)

Spelta S (*see* Marrocco-Trischitta et al). 2007;45:481-6

Spinks WL (*see* Crowther et al). 2007;45:1172-8 (From the Midwestern Vascular Surgical Society)

Spinks WL (*see* Gollidge et al). 2007;45:40-6

Spirito R, Trabattini P, Pompilio G, Zoli S, Agrifoglio M, Biglioli P. Endovascular treatment of a post-traumatic tibial pseudoaneurysm and arteriovenous fistula: Case report and review of the literature. 2007;45:1076-9 (Case rep.)

Sprehe E (*see* Vasquez et al). 2007;45:1008-15

Sroka R (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)

- Stafford JM (*see* Corriere et al). 2007;45:789-94
 Stamos DN (*see* Lazarides et al). 2007;45:420-6 (Review article)
 Starnes B (*see* Arthurs et al). 2007;45:726-32
 Steckmeier BM (*see* Schmedt et al). 2007;45:1047-58 (Basic research studies)
 Steinmetz OK (*see* Iyer et al). 2007;45:600-2 (Case rep.)
 Sternbergh III WC (*see* Tonnessen et al). 2007;45:177-9 (Case rep.)
 Stone PA (*see* AbuRahma et al). 2007;45:881-4
 Stone PA (*see* Keeling et al). 2007;45:25-31
 Stout P (*see* Deree et al). 2007;45:493-7
 Su LT (*see* Vogel et al). 2007;45:762-7
 Suave KJ (*see* Corriere et al). 2007;45:789-94
 Sullivan TM (*see* Huang et al). 2007;45:706-14
 Sullivan TM. The management of renal artery atherosclerosis for renal salvage: Does stenting help? 2007;45:108 (Invited commentary)
 Sumanth R (*see* Suresh et al). 2007;45:844
 Sun Z (*see* O'Donnell et al). 2007;45:694-700
 Suresh KR, Vivekanand V, Vishnu M, Sumanth R. Aneurysm of the inferior vena cava. 2007;45:844
 Suzuki M (*see* Unno et al). 2007;45:1016-21
 Symons RG (*see* Vogel et al). 2007;45:762-7

T

- Takemura H (*see* Shimabukuro et al). 2007;45:1083
 Tanaka K (*see* Magishi et al). 2007;45:387-90 (Case rep.)
 Tandogan R (*see* Ersozlu et al). 2007;45:408-10 (Case rep.)
 Tang T (*see* Li et al). 2007;45:768-75
 Tanski, III W, Fillinger M. Outcomes of original and low-permeability Gore Excluder endoprosthesis for endovascular abdominal aortic aneurysm repair. 2007;45:243-9
 Tao M (*see* Jiang et al). 2007;45:169-76 (Basic research studies)
 Tatewaki H, Egashira K, Kimura S, Nishida T, Morita S, Tominaga R. Blockade of monocyte chemoattractant protein-1 by adenoviral gene transfer inhibits experimental vein graft neointimal formation. 2007;45:1236-43 (Basic research studies)
 Taylor A (*see* McCarthy et al). 2007;45:986-91
 Taylor LM (*see* Liem et al). 2007;45:922-8
 Taylor SM, Kalbaugh CA, Blackhurst DW, Kellicut DC, Langan III EM, Youkey JR. A comparison of percutaneous transluminal angioplasty versus amputation for critical limb ischemia in patients unsuitable for open surgery. 2007;45:304-11
 Taylor SM (*see* Vaddineni et al). 2007;45:467-71
 Tefera G, Acher CW, Hoch JR, Mell M, Turnipseed WD. Effectiveness of intensive medical therapy in type B aortic dissection: A single-center experience. 2007;45:1114-9 (From the Midwestern Vascular Surgical Society)
 Tefera G (*see* Mell et al). 2007;45:543-8
 Tegler G, Sørensen J, Björck M, Savitcheva I, Wanhainen A. Detection of aortic graft infection by 18-fluorodeoxyglucose positron emission tomography combined with computed tomography. 2007;45:828-30 (Case rep.)
 Teijink JA (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
 Theune B (*see* Kedora et al). 2007;45:10-6
 Thompson CA (*see* Duong et al). 2007;45:284-8
 Thompson MM (*see* Dawson et al). 2007;45:350-6 (Basic research studies)
 Thompson RW (*see* Bergoeing et al). 2007;45:1217-27 (Basic research studies)
 Thompson RW (*see* Hobeika et al). 2007;45:849-57 (Review article)
 Thompson RW (*see* Wassef et al). 2007;45:192-9 (Special Communication)
 Thornton F (*see* Mell et al). 2007;45:543-8
 Tilson, III MD (*see* Wassef et al). 2007;45:192-9 (Special Communication)
 Timaran CH (*see* Yau et al). 2007;45:96-100
 Tiongson J (*see* Labropoulos et al). 2007;45:568-73
 Toleikis PM (*see* Kohler et al). 2007;45:1029-38 (Basic research studies)
 Tominaga R (*see* Tatewaki et al). 2007;45:1236-43 (Basic research studies)
 Tonnessen BH, Sternbergh III WC, Mannava K, Money SR. Endovascular repair of an iliac artery aneurysm in a patient with Ehlers-Danlos syndrome type IV. 2007;45:177-9 (Case rep.)
 Tosteson A (*see* Nolan et al). 2007;45:1179-84 (From the New England Society For Vascular Surgery)
 Trabattoni P (*see* Spirito et al). 2007;45:1076-9 (Case rep.)
 Tracz W (*see* Przewlocki et al). 2007;45:1072-5 (Case rep.)
 Trivedi RA (*see* Li et al). 2007;45:768-75
 Troiani R (*see* Lenti et al). 2007;45:32-9
 Trujillo I (*see* Chao et al). 2007;45:451-60
 Tshomba Y (*see* Chiesa et al). 2007;45:1128-35 (From the Midwestern Vascular Surgical Society)
 Tsilimparis N, Hanack U, Yousefi S, Alevizakos P, Rückert RI. Cystic adventitial disease of the popliteal artery: An argument for the developmental theory. 2007;45:1249-52 (Case rep.)
 Tsiodras S (*see* Klonaris et al). 2007;45:498-504
 Tulsyan N, Kashyap VS, Greenberg RK, Sarac TP, Clair DG, Pierce G, Ouriel K. The endovascular management of visceral artery aneurysms and pseudoaneurysms. 2007;45:276-83
 Turner NA, Ho S, Warburton P, O'Regan DJ, Porter KE. Smooth muscle cells cultured from human saphenous vein exhibit increased proliferation, invasion, and mitogen-activated protein kinase activation in vitro compared with paired internal mammary artery cells. 2007;45:1022-9 (Basic research studies)
 Turnipseed WD (*see* Tefera et al). 2007;45:1114-9 (From the Midwestern Vascular Surgical Society)
 Turnipseed W (*see* Mell et al). 2007;45:543-8
 Tuvdendorj D (*see* Killewich et al). 2007;45:554-60

U

- Uchida D (*see* Magishi et al). 2007;45:387-90 (Case rep.)
 Ukato C (*see* Leon, Jr et al). 2007;45:1244-8 (Case rep.)
 U-King-Im J (*see* Li et al). 2007;45:768-75
 Unno N, Inuzuka K, Suzuki M, Yamamoto N, Sagara D, Nishiyama M, Konno H. Preliminary experience with a novel fluorescence lymphography using indocyanine green in patients with secondary lymphedema. 2007;45:1016-21
 Upchurch GR (*see* Gangireddy et al). 2007;45:335-42
 Upchurch, Jr GR (*see* Wassef et al). 2007;45:192-9 (Special Communication)

V

- Vaddineni SK, Taylor SM, Patterson MA, Jordan, Jr WD. Outcome after celiac artery coverage during endovascular thoracic aortic aneurysm repair: Preliminary results. 2007;45:467-71
 Valentine RJ (*see* Yau et al). 2007;45:96-100
 Valentine RJ. Presidential address: Mind the gap. 2007;45:1277-81 (Presidential Address)
 Valentino LA (*see* McCarthy et al). 2007;45:986-91
 Valibhoy AR, Mwiipatayi BP, Sieunarine K. Fracture of a carotid stent: An unexpected complication. 2007;45:603-6 (Case rep.)

- Van Bockel HJ (*see* Hinnen et al). 2007;45:812-6 (Basic research studies)
van den Broek T (*see* Hellings et al). 2007;45:289-97
van der Graaf Y (*see* Goessens et al). 2007;45:47-54
van der Grond J (*see* Van Laar et al). 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
van der Worp HB (*see* Van Laar et al). 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
van Engelshoven JMA (*see* Nijenhuis et al). 2007;45:677-85
Van Ha TG (*see* Piano et al). 2007;45:784-8
van Hoek F, Scheltinga MRM, Luirink M, Raaymakers LCJ, van Pul C, Beerenhout CH. Access flow, venous saturation, and digital pressures in hemodialysis. 2007;45:968-73
Van Laar PJ, Hendrikse J, Mali WPT M., Moll FL, van der Worp HB, van Osch MJP, van der Grond J. Altered flow territories after carotid stenting and carotid endarterectomy. 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
van Landeghem BA (*see* Peeters et al). 2007;45:701-5
van Osch MJP (*see* Van Laar et al). 2007;45:1155-61 (From the Midwestern Vascular Surgical Society)
van Pul C (*see* van Hoek et al). 2007;45:968-73
van Waning VH (*see* Feringa et al). 2007;45:936-43
Varma M (*see* Henke et al). 2007;45:998-1007
Vasquez MA, Wang J, Mahathanaruk M, Buczkowski G, Sprehe E, Dosluoglu HH. The utility of the venous clinical severity score in 682 limbs treated by radiofrequency saphenous vein ablation. 2007;45:1008-15
Veeraswamy RK (*see* Curi et al). 2007;45:505-10
Verhagen H J. M. (*see* Muhs et al). 2007;45:655-61
Verhoeven BAN (*see* Hellings et al). 2007;45:289-97
Verta P (*see* Gray et al). 2007;45:223 (Letter)
Vidal V (*see* Hartung et al). 2007;45:1062-5 (Case rep.)
Vishnu M (*see* Suresh et al). 2007;45:844
Visseren FLJ (*see* Goessens et al). 2007;45:47-54
Vivekanand V (*see* Suresh et al). 2007;45:844
Vogel TR, Su LT, Symons RG, Flum DR. Lower extremity angioplasty for claudication: A population-level analysis of 30-day outcomes. 2007;45:762-7
Vos JA (*see* de Borst et al). 2007;45:118-23
Vourliotakis G (*see* Klonaris et al). 2007;45:498-504

W

- Wahlberg E (*see* Sigvant et al). 2007;45:1185-91 (From the New England Society For Vascular Surgery)
Wakefield GTW (*see* Henke et al). 2007;45:998-1007
Wakefield TW (*see* Gangireddy et al). 2007;45:335-42
Wakefield TW (*see* McLafferty et al). 2007;45:142-8
Wakelin SJ (*see* Currie et al). 2007;45:733-9
Wakil L (*see* Rapp et al). 2007;45:867-74
Waldman DL (*see* Bakken et al). 2007;45:776-83
Waldman DL (*see* Protack et al). 2007;45:110-7, 992-7
Walker G (*see* Gray et al). 2007;45:223 (Letter)
Wang J (*see* Cherr et al). 2007;45:744-50
Wang J (*see* Vasquez et al). 2007;45:1008-15
Wang L (*see* Myers et al). 2007;45:357-66 (Basic research studies)
Wanhainen A (*see* Tegler et al). 2007;45:828-30 (Case rep.)
Wanhainen A, Nilsson TK, Bergqvist D, Boman K, Björck M. Elevated tissue plasminogen activator in patients with screening-detected abdominal aortic aneurysm. 2007;45:1109-13
Warburton P (*see* Turner et al). 2007;45:1022-9 (Basic research studies)
Wassef M, Upchurch, Jr GR, Kuivaniemi H, Thompson RW, Tilson, III MD. Challenges and opportunities in abdominal aortic aneurysm research. 2007;45:192-9 (Special Communication)

- Weaver FA (*see* Chao et al). 2007;45:451-60
Wei W (*see* Liem et al). 2007;45:922-8
Wellons ED (*see* Lai et al). 2007;45:191
Welten RJ (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
Wennberg PW (*see* Delis et al). 2007;45:561-7
Whalen RC (*see* Chahwan et al). 2007;45:523-6
White GH (*see* Muhs et al). 2007;45:655-61
White R (*see* Ohki et al). 2007;45:236-42
Whittemore AD. The impact of professionalism on safe surgical care. 2007;45:415-9 (Special Communication)
Wiberg-Hedman K (*see* Sigvant et al). 2007;45:1185-91 (From the New England Society For Vascular Surgery)
Wijeyaratne SM (*see* Russell et al). 2007;45:367-72 (Basic research studies)
Willigendael EM (*see* Bendermacher et al). 2007;45:1192-6 (From the New England Society For Vascular Surgery)
Winder RJ (*see* O'Donnell et al). 2007;45:694-700
Wintermark M (*see* Rapp et al). 2007;45:867-74
Wojnarowski D (*see* Chahwan et al). 2007;45:258-62
Wolfe RR (*see* Killewich et al). 2007;45:554-60
Wolosker N (*see* Munia et al). 2007;45:130-3
Won J (*see* Baril et al). 2007;45:915-21
Woo EY (*see* Jackson et al). 2007;45:662-66
Woodrum DT (*see* Henke et al). 2007;45:998-1007
Woodworth GF (*see* Brooke et al). 2007;45:298-303
Woolard JD, Ammar AD. Spontaneous dissection of the celiac artery: A case report. 2007;45:1256-8 (Case rep.)
Wütschert R (*see* Kern et al). 2007;45:1212-16 (From the New England Society For Vascular Surgery)
Wyers MC, Powell RJ, Nolan BW, Cronenwett JL. Retrograde mesenteric stenting during laparotomy for acute occlusive mesenteric ischemia. 2007;45:269-75

Y

- Yadav JS (*see* Kashyap et al). 2007;45:101-7
Yamamoto N (*see* Unno et al). 2007;45:1016-21
Yau FS, Rosero EB, Clagett GP, Valentine RJ, Modrall GJ, Arko FR, Timaran CH. Surveillance of small aortic aneurysms does not alter anatomic suitability for endovascular repair. 2007;45:96-100
Yazgan U (*see* Köksoy et al). 2007;45:590-6 (Basic research studies)
Yenari MA (*see* Rapp et al). 2007;45:867-74
Yildirim E (*see* Ersozlu et al). 2007;45:408-10 (Case rep.)
Youkey JR (*see* Taylor et al). 2007;45:304-11
Yousefi S (*see* Tsilimparis et al). 2007;45:1249-52 (Case rep.)

Z

- Zakaria AA (*see* McLafferty et al). 2007;45:142-8
Zarins CK (*see* Benharash et al). 2007;45:250-7
Zayaruzny M (*see* Eslami et al). 2007;45:55-9
Zenati M (*see* Barbato et al). 2007;45:667-76
Zhang J, Böckler D, Ryschich E, Klemm K, Schumacher H, Schmidt J, Allenberg JR. Impaired Fas-induced apoptosis of T lymphocytes in patients with abdominal aortic aneurysms. 2007;45:1039-46 (Basic research studies)
Zickler RW (*see* Abai et al). 2007;45:610-3 (Case rep.)
Zimmerman PM (*see* Cherr et al). 2007;45:744-50
Zivic SS (*see* Milic et al). 2007;45:411-3 (Case rep.)
Zoli S (*see* Spirito et al). 2007;45:1076-9 (Case rep.)
Zwolak RM (*see* Duong et al). 2007;45:284-8